

FORM-PTO-1390
(Rev. 10-96)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

**TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371**

030708-035

U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5)

09/403724

INTERNATIONAL APPLICATION NO.
PCT/IB98/00625INTERNATIONAL FILING DATE
24 April 1998PRIORITY DATE CLAIMED
26 April 1997TITLE OF INVENTION
NEUROTRYPsin

APPLICANT(S) FOR DO/EO/US

Peter Sonderegger

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and the PCT Articles 22 and 39(1).
4. ☐ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☒ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ has been transmitted by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US)
- ☐ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
- ☐ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☐ have not been made and will not be made.
- ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
- ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
- ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11. to 16. below concern other document(s) or information included:

11. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
- ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A FIRST preliminary amendment.
- ☐ A SECOND or SUBSEQUENT preliminary amendment.
14. ☐ A substitute specification.
15. ☐ A change of power of attorney and/or address letter.
16. ☐ Other items or information:

U.S. APPLICATION NO. (If known, use 37 CFR 1.509)

09/7403724

INTERNATIONAL APPLICATION NO.
PCT/IB98/00625ATTORNEY'S DOCKET NUMBER
030708-035

17. <input checked="" type="checkbox"/> The following fees are submitted:				CALCULATIONS		PTO USE ONLY	
Basic National Fee (37 CFR 1.492(a)(1)-(5)): Search Report has been prepared by the EPO or JPO \$840.00 (970) International preliminary examination fee paid to USPTO (37 CFR 1.482) \$670.00 (956) No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)) \$760.00 (958) Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$970.00 (960) International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) \$96.00 (962)							
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$	970.00		
Surcharge of \$130.00 (154) for furnishing the oath or declaration later than 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$	0.00		
Claims	Number Filed	Number Extra	Rate				
Total Claims	15 -20 =	0	X\$18.00 (966)	\$	0.00		
Independent Claims	14 -3 =	11	X\$78.00 (964)	\$	858.00		
Multiple dependent claim(s) (if applicable)			+ \$260.00 (968)	\$	0.00		
TOTAL OF ABOVE CALCULATIONS =				\$	1,828.00		
Reduction for 1/2 for filing by small entity, if applicable. Verified Small Entity statement must also be filed. (Note 37 CFR 1.9, 1.27, 1.28).				\$			
SUBTOTAL =				\$			
Processing fee of \$130.00 (156) for furnishing the English translation later than 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$			
TOTAL NATIONAL FEE =				\$	1,828.00		
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). per property +				\$			
TOTAL FEES ENCLOSED =				\$	1,828.00		
				Amount to be: refunded \$			
				charged \$			

- a. ☒ A check in the amount of \$ 1,828.00 to cover the above fees is enclosed.
- b. ☐ Please charge my Deposit Account No. 02-4800 in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed.
- c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 02-4800. A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

William L. Mathis
BURNS, DOANE, SWECKER & MATHIS, L.L.P.
P.O. Box 1404
Alexandria, Virginia 22313-1404

Bruce J. Boggs, Jr.
SIGNATURE

Bruce J. Boggs, Jr.

NAME

32,344

REGISTRATION NUMBER

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)

Peter SONDEREGGER)

Serial No.: 09/403,724)

Filed: October 26, 1999)

For: NEUROTRYPSIN)



Group Art Unit: Unknown

Examiner: Unknown

ATTENTION: BOX SEQUENCE

TRANSMITTAL LETTER FOR MISSING PARTS OF APPLICATION

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

In complete response to the Notice to Comply with Requirements for Patent Applications Containing Nucleotide Sequence and/or Amino Acid Sequence disclosures dated not yet received, enclosed please find:

- [X] A copy of the "Sequence Listing" in computer readable form in compliance with 37 C.F.R. §§1.823(b) and 1.824.
- [X] A statement that the content of the paper and computer readable copies are the same as set forth in 37 C.F.R. §1.821(f).

The Commissioner is hereby authorized to charge any additional fees under 37 C.F.R. §§1.16, 1.17, and 1.21 that may be required by this paper, and to credit any overpayment to Deposit Account No. 02-4800. A duplicate copy of this paper is enclosed.

Respectfully submitted,

1737 King Street, Suite 500
Alexandria, VA 22314-2756
(703) 836-6620

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

Date: December 20, 1999

By Richard C. Ekstrom
Richard C. Ekstrom
Registration No. 37,027

#4

Patent
Attorney's Docket No. 030708-035Applicant or Patentee: Peter Sonderegger

Application or Patent No.: _____

Filed or Issued: October 26, 1999For: NEUROTRYPsin

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
STATUS (37 C.F.R. §§ 1.9(f) AND 1.27(b)) - INDEPENDENT INVENTOR**

As a below-named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 C.F.R. § 1.9(c) for purposes of paying reduced fees under Sections 41(a) and 41(b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled Neurotrypsin described in:

- ☐ the specification filed herewith
☒ Application No. _____, filed October 26, 1999
☐ Patent No. _____, issued _____

I have not assigned, granted, conveyed, or licensed and am under no obligation under contract or law to assign, grant, convey, or license any rights in the invention either to any person who could not be classified as an independent inventor under 37 C.F.R. § 1.9(c) if that person had made the invention, or to any concern that would not qualify as either a small business concern under 37 C.F.R. § 1.9(d) or a nonprofit organization under 37 C.F.R. § 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ no such person, concern, or organization
☐ persons, concerns, or organizations listed below*

*NOTE: Separate verified statements are required from each named person, concern, or organization having rights to the invention averring to their status as small entities. (37 C.F.R. § 1.27.)

FULL NAME _____

ADDRESS _____

☐ individual ☐ small business concern ☐ nonprofit organization

FULL NAME _____

ADDRESS _____

☐ individual ☐ small business concern ☐ nonprofit organization

FULL NAME _____

ADDRESS _____

☐ individual ☐ small business concern ☐ nonprofit organization

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earlier of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 C.F.R. § 1.28(b).)

Application No. _____
Attorney's Docket No. 030708-035

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code; and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Name Peter Sonderegger

Signature

P. Sonderegger

Date

Nov-11-1999

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Peter SONDEREGGER

Serial No.: 09/403,724

Filed: October 26, 1999

For: NEUROTRYPSIN



)
)
) Group Art Unit: Unassigned

)
) Examiner: Unassigned

) **ATTENTION: BOX SEQUENCE**
)
)

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Prior to examination on the merits, please amend the above-identified
application as follows:

IN THE SPECIFICATION:

In compliance with 37 C.F.R. §1.823(a), please delete pages 16-32 of the
specification and insert therefor the attached paper copy of the "Sequence Listing" between
page 15 of the Disclosure and the first page of the Claims to replace the Sequence Listing
identified thereon.

REMARKS

The paper copy of the Sequence Listing for the subject application, is by this amendment added between page 15 of the Specification and the first page of the Claims to replace the Sequence Listing identified thereon. Please amend the page numbers accordingly.

Favorable consideration on the merits is respectfully requested.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By Richard C. Ekstrom
Richard C. Ekstrom
Registration No. 37,027

P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620

Date: December 20, 1999

SEQUENCE LISTING

<110> SONDEREGGER, Peter

<120> NEUROTTRYPSIN

<130> 030708-035

<140> 09/403,724

<141> 1999-10-26

<150> PCT/IB98/00625

<151> 1998-04-24

<150> CH 0966/97

<151> 1997-04-26

<160> 28

<170> PatentIn Ver. 2.0

<210> 1

<211> 3350

<212> DNA

<213> Homo sapiens

<220>

<221> sig_peptide

<222> (44)..(103)

<220>

<221> mat_peptide

<222> (104)..(2668)

<220>

<221> CDS

<222> (44)..(2668)

<220>

<221> 5'UTR

<222> (1)..(43)

<220>

<221> 3'UTR

<222> (2669)..(3350)

<400> 1

cggaagctgg ggagcatgga ccagaccocg cagcgctggc acc atg acg ctc gcc 55
Met Thr Leu Ala
-20

cgc ttc gtg cta gcc ctg atg tta ggg gcg ctc ccc gaa gtg gtc ggc 103
Arg Phe Val Leu Ala Leu Met Leu Gly Ala Leu Pro Glu Val Val Gly
-15 -10 -5 -1



ttt gat tct gtc ctc aat gat tcc ctc cac cac agc cac cgc cat tcg	151
Phe Asp Ser Val Leu Asn Asp Ser Leu His His Ser His Arg His Ser	
1 5 10 15	
ccc cct gcg ggt ccg cac tac ccc tat tac ctt ccc acc cag cag cgg	199
Pro Pro Ala Gly Pro His Tyr Pro Tyr Tyr Leu Pro Thr Gln Gln Arg	
20 25 30	
ccc ccg acg acg cgt ccg ccg ccg cct ctc ccg cgc ttc ccg cgc ccc	247
Pro Pro Thr Thr Arg Pro Pro Pro Pro Leu Pro Arg Phe Pro Arg Pro	
35 40 45	
ccg cgg gcg ctc cct gcc cag cgc ccg cac gcc ctc cag gcc ggg cac	295
Pro Arg Ala Leu Pro Ala Gln Arg Pro His Ala Leu Gln Ala Gly His	
50 55 60	
acg ccc cgg ccg cac ccc tgg ggc tgc ccc gcc ggc gag cca tgg gtc	343
Thr Pro Arg Pro His Pro Trp Gly Cys Pro Ala Gly Glu Pro Trp Val	
65 70 75 80	
agc gtg acg gac ttc ggc gcc ccg tgt ctg cgg tgg gcg gag gtg cca	391
Ser Val Thr Asp Phe Gly Ala Pro Cys Leu Arg Trp Ala Glu Val Pro	
85 90 95	
ccc ttc ctg gag cgg tcg ccc cca gcg agc tgg gct cag ctg cga gga	439
Pro Phe Leu Glu Arg Ser Pro Pro Ala Ser Trp Ala Gln Leu Arg Gly	
100 105 110	
cag cgc cac aac ttt tgt ccg agc ccc gac ggc gcg ggc aga ccc tgg	487
Gln Arg His Asn Phe Cys Arg Ser Pro Asp Gly Ala Gly Arg Pro Trp	
115 120 125	
tgt ttc tac gga gac gcc cgt ggc aag gtg gac tgg ggc tac tgc gac	535
Cys Phe Tyr Gly Asp Ala Arg Gly Lys Val Asp Trp Gly Tyr Cys Asp	
130 135 140	
tgc aga cac gga tca gta cga ctt cgt ggc ggc aaa aat gag ttt gaa	583
Cys Arg His Gly Ser Val Arg Leu Arg Gly Gly Lys Asn Glu Phe Glu	
145 150 155 160	
ggc aca gtg gaa gta tat gca agt gga gtt tgg ggc act gtc tgt agc	631
Gly Thr Val Glu Val Tyr Ala Ser Gly Val Trp Gly Thr Val Cys Ser	
165 170 175	
agc cac tgg gat gat tct gat gca tca gtc att tgt cac cag ctg cag	679
Ser His Trp Asp Asp Ser Asp Ala Ser Val Ile Cys His Gln Leu Gln	
180 185 190	
ctg gga gga aaa gga ata gca aaa caa acc ccg ttt tct gga ctg ggc	727
Leu Gly Gly Lys Gly Ile Ala Lys Gln Thr Pro Phe Ser Gly Leu Gly	
195 200 205	
ctt att ccc att tat tgg agc aat gtc cgt tgc cga gga gat gaa gaa	775
Leu Ile Pro Ile Tyr Trp Ser Asn Val Arg Cys Arg Gly Asp Glu Glu	
210 215 220	

aat ata ctg ctt tgt gaa aaa gac atc tgg cag ggt ggg gtg tgt cct	823
Asn Ile Leu Leu Cys Glu Lys Asp Ile Trp Gln Gly Gly Val Cys Pro	
225 230 235 240	
cag aag atg gca gct gct gtc acg tgt agc ttt tcc cat ggc cca acg	871
Gln Lys Met Ala Ala Val Thr Cys Ser Phe Ser His Gly Pro Thr	
245 250 255	
ttc ccc atc att cgc ctt gct gga ggc agc agt gtg cat gaa ggc cgg	919
Phe Pro Ile Ile Arg Leu Ala Gly Gly Ser Ser Val His Glu Gly Arg	
260 265 270	
gtg gag ctc tac cat gct ggc cag tgg gga acc gtt tgt gat gac caa	967
Val Glu Leu Tyr His Ala Gly Gln Trp Gly Thr Val Cys Asp Asp Gln	
275 280 285	
tgg gat gat gcc gat gca gaa gtg atc tgc agg cag ctg ggc ctc agt	1015
Trp Asp Asp Ala Asp Ala Glu Val Ile Cys Arg Gln Leu Gly Leu Ser	
290 295 300	
ggc att gcc aaa gca tgg cat cag gca tat ttt ggg gaa ggg tct ggc	1063
Gly Ile Ala Lys Ala Trp His Gln Ala Tyr Phe Gly Glu Gly Ser Gly	
305 310 315 320	
cca gtt atg ttg gat gaa gta cgc tgc act ggg aat gag ctt tca att	1111
Pro Val Met Leu Asp Glu Val Arg Cys Thr Gly Asn Glu Leu Ser Ile	
325 330 335	
gag cag tgt cca aag agc tcc tgg gga gag cat aac tgt ggc cat aaa	1159
Glu Gln Cys Pro Lys Ser Ser Trp Gly His Asn Cys Gly His Lys	
340 345 350	
gaa gat gct gga gtg tcc tgt acc cct cta aca gat ggg gtc atc aga	1207
Glu Asp Ala Gly Val Ser Cys Thr Pro Leu Thr Asp Gly Val Ile Arg	
355 360 365	
ctt gca ggt ggg aaa ggc agc cat gag ggt cgc ttg gag gta tat tac	1255
Leu Ala Gly Gly Lys Gly Ser His Glu Gly Arg Leu Glu Val Tyr Tyr	
370 375 380	
aga ggc cag tgg gga act gtc tgt gat gat ggc tgg act gag ctg aat	1303
Arg Gly Gln Trp Gly Thr Val Cys Asp Asp Gly Trp Thr Glu Leu Asn	
385 390 395 400	
aca tac gtg gtt tgt cga cag ttg gga ttt aaa tat ggt aaa caa gca	1351
Thr Tyr Val Val Cys Arg Gln Leu Gly Phe Lys Tyr Gly Lys Gln Ala	
405 410 415	
tct gcc aac cat ttt gaa gaa agc aca ggg ccc ata tgg ttg gat gac	1399
Ser Ala Asn His Phe Glu Glu Ser Thr Gly Pro Ile Trp Leu Asp Asp	
420 425 430	
gtc agc tgc tca gga aag gaa acc aga ttt ctt cag tgt tcc agg cga	1447
Val Ser Cys Ser Gly Lys Glu Thr Arg Phe Leu Gln Cys Ser Arg Arg	
435 440 445	

cag tgg gga agg cat gac tgc agc cac cgc gaa gat gtt agc att gcc	1495
Gln Trp Gly Arg His Asp Cys Ser His Arg Glu Asp Val Ser Ile Ala	
450 455 460	
tgc tac cct ggc ggc gag gga cac agg ctc tct ctg ggt ttt cct gtc	1543
Cys Tyr Pro Gly Gly Glu Gly His Arg Leu Ser Leu Gly Phe Pro Val	
465 470 475 480	
aga ctg atg gat gga gaa aat aag aaa gaa gga cga gtg gag gtt ttt	1591
Arg Leu Met Asp Gly Glu Asn Lys Lys Glu Gly Arg Val Glu Val Phe	
485 490 495	
atc aat ggc cag tgg gga aca atc tgt gat gat gga tgg act gat aag	1639
Ile Asn Gly Gln Trp Gly Thr Ile Cys Asp Asp Gly Trp Thr Asp Lys	
500 505 510	
gat gca gct gtg atc tgt cgt cag ctt ggc tac aag ggt cct gcc aga	1687
Asp Ala Ala Val Ile Cys Arg Gln Leu Gly Tyr Lys Gly Pro Ala Arg	
515 520 525	
gca aga acc atg gct tac ttt gga gaa gga aaa gga ccc atc cat gtg	1735
Ala Arg Thr Met Ala Tyr Phe Gly Glu Gly Lys Gly Pro Ile His Val	
530 535 540	
gat aat gtg aag tgc aca gga aat gag agg tcc ttg gct gac tgt atc	1783
Asp Asn Val Lys Cys Thr Gly Asn Glu Arg Ser Leu Ala Asp Cys Ile	
545 550 555 560	
aag caa gat att gga aga cac aac tgc cgc cac agt gaa gat gca gga	1831
Lys Gln Asp Ile Gly Arg His Asn Cys Arg His Ser Glu Asp Ala Gly	
565 570 575	
gtt att tgt gat tat ttt ggc aag aag gcc tca ggt aac agt aat aaa	1879
Val Ile Cys Asp Tyr Phe Gly Lys Lys Ala Ser Gly Asn Ser Asn Lys	
580 585 590	
gag tcc ctc tca tct gtt tgt ggc ttg aga tta ctg cac cgt cgg cag	1927
Glu Ser Leu Ser Ser Val Cys Gly Leu Arg Leu Leu His Arg Arg Gln	
595 600 605	
aag cgg atc att ggt ggg aaa aat tct tta agg ggt ggt tgg cct tgg	1975
Lys Arg Ile Ile Gly Gly Lys Asn Ser Leu Arg Gly Gly Trp Pro Trp	
610 615 620	
cag gtt tcc ctc cgg ctg aag tca tcc cat gga gat ggc agg ctc ctc	2023
Gln Val Ser Leu Arg Leu Lys Ser Ser His Gly Asp Gly Arg Leu Leu	
625 630 635 640	
tgc ggg gct acg ctc ctg agt agc tgc tgg gtc ctc aca gca gca cac	2071
Cys Gly Ala Thr Leu Leu Ser Ser Cys Trp Val Leu Thr Ala Ala His	
645 650 655	
tgt ttc aag agg tat ggc aac agc act agg agc tat gct gtt agg gtt	2119
Cys Phe Lys Arg Tyr Gly Asn Ser Thr Arg Ser Tyr Ala Val Arg Val	
660 665 670	

gga gat tat cat act ctg gta cca gag gag ttt gag gaa gaa att gga	2167
Gly Asp Tyr His Thr Leu Val Pro Glu Glu Phe Glu Glu Glu Ile Gly	
675 680 685	
gtt caa cag att gtg att cat cgg gag tat cga ccc gac cgc agt gat	2215
Val Gln Gln Ile Val Ile His Arg Glu Tyr Arg Pro Asp Arg Ser Asp	
690 695 700	
tat gac ata gcc ctg gtt aga tta caa gga cca gaa gag caa tgt gcc	2263
Tyr Asp Ile Ala Leu Val Arg Leu Gln Gly Pro Glu Glu Gln Cys Ala	
705 710 715 720	
aga ttc agc agc cat gtt ttg cca gcc tgt tta cca ctc tgg aga gag	2311
Arg Phe Ser Ser His Val Leu Pro Ala Cys Leu Pro Leu Trp Arg Glu	
725 730 735	
agg cca cag aaa aca gca tcc aac tgt tac ata aca gga tgg ggt gac	2359
Arg Pro Gln Lys Thr Ala Ser Asn Cys Tyr Ile Thr Gly Trp Gly Asp	
740 745 750	
aca gga cga gcc tat tca aga aca cta caa caa gca gcc att ccc tta	2407
Thr Gly Arg Ala Tyr Ser Arg Thr Leu Gln Gln Ala Ala Ile Pro Leu	
755 760 765	
ctt cct aaa agg ttt tgt gaa gaa cgt tat aag ggt cgg ttt aca ggg	2455
Leu Pro Lys Arg Phe Cys Glu Glu Arg Tyr Lys Gly Arg Phe Thr Gly	
770 775 780	
aga atg ctt tgt gct gga aac ctc cat gaa cac aaa cgc gtg gac agc	2503
Arg Met Leu Cys Ala Gly Asn Leu His Glu His Lys Arg Val Asp Ser	
785 790 795 800	
tgc cag gga gac agc gga gga cca ctc atg tgt gaa cgg ccc gga gag	2551
Cys Gln Gly Asp Ser Gly Gly Pro Leu Met Cys Glu Arg Pro Gly Glu	
805 810 815	
agc tgg gtg gtg tat ggg gtg acc tcc tgg ggg tat ggc tgt gga gtc	2599
Ser Trp Val Val Tyr Gly Val Thr Ser Trp Gly Tyr Gly Cys Gly Val	
820 825 830	
aag gat tct cct ggt gtt tat acc aaa gtc tca gcc ttt gta cct tgg	2647
Lys Asp Ser Pro Gly Val Tyr Thr Lys Val Ser Ala Phe Val Pro Trp	
835 840 845	
ata aaa agt gtc acc aaa ctg taattcttca tggaaacttc aaagcagcat	2698
Ile Lys Ser Val Thr Lys Leu	
850 855	
ttaaacaat ggaaaacttt gaacccccac tattagcact cagcagagat gacaacaat	2758
ggcaagatct gtttttgctt tgtgttgttg taaaaaattg tgtaccacct gctgcttttg	2818
agaaatttgt gaacattttc agaggcctca gtgtagtgga agtgataatc cttaaatgaa	2878
cattttctac cctaatttca ctggagtgc ttattctaag cctcatctat ccctaccta	2938

ttttcaaaa tcattctatg ctgattttac aaaagatcat ttttacattt gaactgagaa 2998
 ccccttttaa ttgaatcagt ggtgtctgaa atcatattaa atacccacat ttgacataaa 3058
 tgcggtaccc ttctactacac tcatgagtgg catatttatg cttaggtcct ttcaaaagac 3118
 tgacaagaa atcttcatat tctctgtagc ctttgtaacg tgaggaaaac agtggttaaa 3178
 gaattccact ataaactttt aggcctgaat aggagtagta aagcctcaag gacatctgcc 3238
 tgtcacaata tattctcaaa gtgatctgat atttggaaac aagtatcctt gttgagtacc 3298
 aagtgtctaca gaaaccataa gataaaaaa ctttctacct acagcgtgcc cg 3350

<210> 2
 <211> 875
 <212> PRT
 <213> Homo sapiens

<400> 2
 Met Thr Leu Ala Arg Phe Val Leu Ala Leu Met Leu Gly Ala Leu Pro
 -20 -15 -10 -5
 Glu Val Val Gly Phe Asp Ser Val Leu Asn Asp Ser Leu His His Ser
 -1 1 5 10
 His Arg His Ser Pro Pro Ala Gly Pro His Tyr Pro Tyr Tyr Leu Pro
 15 20 25
 Thr Gln Gln Arg Pro Pro Thr Thr Arg Pro Pro Pro Pro Leu Pro Arg
 30 35 40
 Phe Pro Arg Pro Pro Arg Ala Leu Pro Ala Gln Arg Pro His Ala Leu
 45 50 55 60
 Gln Ala Gly His Thr Pro Arg Pro His Pro Trp Gly Cys Pro Ala Gly
 65 70 75
 Glu Pro Trp Val Ser Val Thr Asp Phe Gly Ala Pro Cys Leu Arg Trp
 80 85 90
 Ala Glu Val Pro Pro Phe Leu Glu Arg Ser Pro Pro Ala Ser Trp Ala
 95 100 105
 Gln Leu Arg Gly Gln Arg His Asn Phe Cys Arg Ser Pro Asp Gly Ala
 110 115 120
 Gly Arg Pro Trp Cys Phe Tyr Gly Asp Ala Arg Gly Lys Val Asp Trp
 125 130 135 140
 Gly Tyr Cys Asp Cys Arg His Gly Ser Val Arg Leu Arg Gly Gly Lys
 145 150 155
 Asn Glu Phe Glu Gly Thr Val Glu Val Tyr Ala Ser Gly Val Trp Gly

160

165

170

Thr Val Cys Ser Ser His Trp Asp Asp Ser Asp Ala Ser Val Ile Cys
 175 180 185
 His Gln Leu Gln Leu Gly Gly Lys Gly Ile Ala Lys Gln Thr Pro Phe
 190 195 200
 Ser Gly Leu Gly Leu Ile Pro Ile Tyr Trp Ser Asn Val Arg Cys Arg
 205 210 215 220
 Gly Asp Glu Glu Asn Ile Leu Leu Cys Glu Lys Asp Ile Trp Gln Gly
 225 230 235
 Gly Val Cys Pro Gln Lys Met Ala Ala Val Thr Cys Ser Phe Ser
 240 245 250
 His Gly Pro Thr Phe Pro Ile Ile Arg Leu Ala Gly Gly Ser Ser Val
 255 260 265
 His Glu Gly Arg Val Glu Leu Tyr His Ala Gly Gln Trp Gly Thr Val
 270 275 280
 Cys Asp Asp Gln Trp Asp Asp Ala Asp Ala Glu Val Ile Cys Arg Gln
 285 290 295 300
 Leu Gly Leu Ser Gly Ile Ala Lys Ala Trp His Gln Ala Tyr Phe Gly
 305 310 315
 Glu Gly Ser Gly Pro Val Met Leu Asp Glu Val Arg Cys Thr Gly Asn
 320 325 330
 Glu Leu Ser Ile Glu Gln Cys Pro Lys Ser Ser Trp Gly Glu His Asn
 335 340 345
 Cys Gly His Lys Glu Asp Ala Gly Val Ser Cys Thr Pro Leu Thr Asp
 350 355 360
 Gly Val Ile Arg Leu Ala Gly Gly Lys Gly Ser His Glu Gly Arg Leu
 365 370 375 380
 Glu Val Tyr Tyr Arg Gly Gln Trp Gly Thr Val Cys Asp Asp Gly Trp
 385 390 395
 Thr Glu Leu Asn Thr Tyr Val Val Cys Arg Gln Leu Gly Phe Lys Tyr
 400 405 410
 Gly Lys Gln Ala Ser Ala Asn His Phe Glu Glu Ser Thr Gly Pro Ile
 415 420 425
 Trp Leu Asp Asp Val Ser Cys Ser Gly Lys Glu Thr Arg Phe Leu Gln
 430 435 440
 Cys Ser Arg Arg Gln Trp Gly Arg His Asp Cys Ser His Arg Glu Asp
 445 450 455 460

Val	Ser	Ile	Ala	Lys	Tyr	Pro	Gly	Gly	Glu	Gly	His	Arg	Leu	Ser	Leu
				465									475		
Gly	Phe	Pro	Val	Arg	Leu	Met	Asp	Gly	Glu	Asn	Lys	Lys	Glu	Gly	Arg
				480									490		
Val	Glu	Val	Phe	Ile	Asn	Gly	Gln	Trp	Gly	Thr	Ile	Cys	Asp	Asp	Gly
				495									505		
Trp	Thr	Asp	Lys	Asp	Ala	Ala	Val	Ile	Cys	Arg	Gln	Leu	Gly	Tyr	Lys
													520		
Gly	Pro	Ala	Arg	Ala	Arg	Thr	Met	Ala	Tyr	Phe	Gly	Glu	Gly	Lys	Gly
													535		
Pro	Ile	His	Val	Asp	Asn	Val	Lys	Cys	Thr	Gly	Asn	Glu	Arg	Ser	Leu
				545									555		
Ala	Asp	Cys	Ile	Lys	Gln	Asp	Ile	Gly	Arg	His	Asn	Cys	Arg	His	Ser
				560									570		
Glu	Asp	Ala	Gly	Val	Ile	Cys	Asp	Tyr	Phe	Gly	Lys	Lys	Ala	Ser	Gly
				575									585		
Asn	Ser	Asn	Lys	Glu	Ser	Leu	Ser	Ser	Val	Cys	Gly	Leu	Arg	Leu	Leu
													595		
His	Arg	Arg	Gln	Lys	Arg	Ile	Ile	Gly	Gly	Lys	Asn	Ser	Leu	Arg	Gly
				605									610		
Gly	Trp	Pro	Trp	Gln	Val	Ser	Leu	Arg	Leu	Lys	Ser	Ser	His	Gly	Asp
				625									630		
Gly	Arg	Leu	Leu	Cys	Gly	Ala	Thr	Leu	Leu	Ser	Ser	Cys	Trp	Val	Leu
				640									645		
Thr	Ala	Ala	His	Cys	Phe	Lys	Arg	Tyr	Gly	Asn	Ser	Thr	Arg	Ser	Tyr
				655									660		
Ala	Val	Arg	Val	Gly	Asp	Tyr	His	Thr	Leu	Val	Pro	Glu	Glu	Phe	Glu
				670									675		
Glu	Glu	Ile	Gly	Val	Gln	Gln	Ile	Val	Ile	His	Arg	Glu	Tyr	Arg	Pro
				685									690		
Asp	Arg	Ser	Asp	Tyr	Asp	Ile	Ala	Leu	Val	Arg	Leu	Gln	Gly	Pro	Glu
				705									710		
Glu	Gln	Cys	Ala	Arg	Phe	Ser	Ser	His	Val	Leu	Pro	Ala	Cys	Leu	Pro
				720									725		
Leu	Trp	Arg	Glu	Arg	Pro	Gln	Lys	Thr	Ala	Ser	Asn	Cys	Tyr	Ile	Thr
				735									740		
Gly	Trp	Gly	Asp	Thr	Gly	Arg	Ala	Tyr	Ser	Arg	Thr	Leu	Gln	Gln	Ala
													745		

750		755		760
Ala Ile Pro Leu Leu Pro Lys Arg Phe Cys Glu Glu Arg Tyr Lys Gly				
765		770	775	780
Arg Phe Thr Gly Arg Met Leu Cys Ala Gly Asn Leu His Glu His Lys				
	785		790	795
Arg Val Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro Leu Met Cys Glu				
	800		805	810
Arg Pro Gly Glu Ser Trp Val Val Tyr Gly Val Thr Ser Trp Gly Tyr				
	815		820	825
Gly Cys Gly Val Lys Asp Ser Pro Gly Val Tyr Thr Lys Val Ser Ala				
	830		835	840
Phe Val Pro Trp Ile Lys Ser Val Thr Lys Leu				
845		850		855

<210> 3
 <211> 2356
 <212> DNA
 <213> Mus musculus

<220>
 <221> sig_peptide
 <222> (24)..(86)

<220>
 <221> mat_peptide
 <222> (87)..(2306)

<220>
 <221> CDS
 <222> (24)..(2306)

<220>
 <221> polyA_site
 <222> one-of(2341, 2356)

<220>
 <221> 5'UTR
 <222> (1)..(23)

<220>
 <221> 3'UTR
 <222> (2307)..one-of(2341, 2356)

<400> 3
 ggaccacat cggcgccgca gcc atg gcg ctc gcc cgc tgc gtg ctg gct gtg 53
 Met Ala Leu Ala Arg Cys Val Leu Ala Val

-20

-15

att tta ggg gca ctg tct gta gtg gcc cgc gct gat ccg gtc tcg cgc	101
Ile Leu Gly Ala Leu Ser Val Val Ala Arg Ala Asp Pro Val Ser Arg	
-10 -5 -1 1 5	
tct ccc ett cac cgc ccg cat ccg tcc cca ccg cgt tcc caa cac gcg	149
Ser Pro Leu His Arg Pro His Pro Ser Pro Arg Ser Gln His Ala	
10 15 20	
cac tac ctt ccc agc tcg cgg cgg cca ccc agg acc ccg cgc ttc ccg	197
His Tyr Leu Pro Ser Ser Arg Arg Pro Pro Arg Thr Pro Arg Phe Pro	
25 30 35	
ctc ccg ctg cgg atc ccc gct gcc cag cgc ccg cag gtc ctc agc acc	245
Leu Pro Leu Arg Ile Pro Ala Ala Gln Arg Pro Gln Val Leu Ser Thr	
40 45 50	
ggg cac acg ccc ccg acg att cca cgc cgc tgc ggg gca gga gag tcg	293
Gly His Thr Pro Pro Thr Ile Pro Arg Arg Cys Gly Ala Gly Glu Ser	
55 60 65	
tgg ggc aat gcc acc aac ctc ggc gtc ccg tgt cta cac tgg gac gag	341
Trp Gly Asn Ala Thr Asn Leu Gly Val Pro Cys Leu His Trp Asp Glu	
70 75 80 85	
gtg ccg ccc ttc ctg gag cgg tcg ccc ccg gcc agt tgg gct gag ctg	389
Val Pro Pro Phe Leu Glu Arg Ser Pro Pro Ala Ser Trp Ala Glu Leu	
90 95 100	
cga ggg cag ccg cac aac ttc tgc cgg agc ccg gat ggc tcg ggc aga	437
Arg Gly Gln Pro His Asn Phe Cys Arg Ser Pro Asp Gly Ser Gly Arg	
105 110 115	
cct tgg tgc ttc tat ccg aat gcc cag ggc aaa gta gac tgg ggc tac	485
Pro Trp Cys Phe Tyr Arg Asn Ala Gln Gly Lys Val Asp Trp Gly Tyr	
120 125 130	
tgc gat tgt ggt caa ggc ccg cgc ttg ccc gtc att cgc ett gtt ggt	533
Cys Asp Cys Gly Gln Gly Pro Ala Leu Pro Val Ile Arg Leu Val Gly	
135 140 145	
ggg aac agt ggg cat gaa ggt cga gtg gag ctg tac cac gct ggc cag	581
Gly Asn Ser Gly His Glu Gly Arg Val Glu Leu Tyr His Ala Gly Gln	
150 155 160 165	
tgg ggg acc atc tgt gac gac caa tgg gac aat gca gac gca gac gtc	629
Trp Gly Thr Ile Cys Asp Asp Gln Trp Asp Asn Ala Asp Ala Asp Val	
170 175 180	
atc tgt agg cag ctg ggg ctc agt ggc att gcc aaa gca tgg cat cag	677
Ile Cys Arg Gln Leu Gly Leu Ser Gly Ile Ala Lys Ala Trp His Gln	
185 190 195	
gca cat ttt ggg gaa gga tct ggc cca ata ttg ttg gat gaa gta cgc	725
Ala His Phe Gly Glu Gly Ser Gly Pro Ile Leu Leu Asp Glu Val Arg	
200 205 210	

tgc acc gga aac gag ctg tca att gag caa tgt cca aag agt tcc tgg	773
Cys Thr Gly Asn Glu Leu Ser Ile Glu Gln Cys Pro Lys Ser Ser Trp	
215 220 225	
ggc gaa cat aac tgt ggc cat aaa gaa gat gct gga gtg tct tgt gtt	821
Gly Glu His Asn Cys Gly His Lys Glu Asp Ala Gly Val Ser Cys Val	
230 235 240 245	
cct cta aca gat ggt gtc atc aga ctg gca gga gga aaa agt acc cat	869
Pro Leu Thr Asp Gly Val Ile Arg Leu Ala Gly Gly Lys Ser Thr His	
250 255 260	
gaa ggt cgc ctg gag gtc tac tac aag ggg cag tgg ggg aca gtc tgt	917
Glu Gly Arg Leu Glu Val Tyr Tyr Lys Gly Gln Trp Gly Thr Val Cys	
265 270 275	
gat gat ggc tgg act gag atg aac aca tac gtg gct tgt cga ctg ctg	965
Asp Asp Gly Trp Thr Glu Met Asn Thr Tyr Val Ala Cys Arg Leu Leu	
280 285 290	
gga ttt aaa tac ggc aaa cag tcc tct gtg aac cat ttt gat ggc agc	1013
Gly Phe Lys Tyr Gly Lys Gln Ser Ser Val Asn His Phe Asp Gly Ser	
295 300 305	
aac agg ccc ata tgg ctg gat gac gtc agc tgc tca gga aaa gaa gtc	1061
Asn Arg Pro Ile Trp Leu Asp Asp Val Ser Cys Ser Gly Lys Glu Val	
310 315 320 325	
agc ttc att cag tgt tcc agg aga cag tgg gga agg cat gac tgc agc	1109
Ser Phe Ile Gln Cys Ser Arg Arg Gln Trp Gly Arg His Asp Cys Ser	
330 335 340	
cat aga gaa gat gtg ggc ctc acc tgc tat cct gac agc gat gga cat	1157
His Arg Glu Asp Val Gly Leu Thr Cys Tyr Pro Asp Ser Asp Gly His	
345 350 355	
agg ctt tct cca ggt ttt ccc atc aga cta gtg gat gga gag aat aag	1205
Arg Leu Ser Pro Gly Phe Pro Ile Arg Leu Val Asp Gly Glu Asn Lys	
360 365 370	
aag gaa gga cga gtg gag gtt ttt gtc aat ggc caa tgg gga aca atc	1253
Lys Glu Gly Arg Val Glu Val Phe Val Asn Gly Gln Trp Gly Thr Ile	
375 380 385	
tgc gat gac gga tgg acc gat aag cat gca gct gtg atc tgc cgg caa	1301
Cys Asp Asp Gly Trp Thr Asp Lys His Ala Val Ile Cys Arg Gln	
390 395 400 405	
ctt ggc tat aag ggt cct gcc aga gca agg act atg gct tat ttt ggg	1349
Leu Gly Tyr Lys Gly Pro Ala Arg Ala Arg Thr Met Ala Tyr Phe Gly	
410 415 420	
gaa gga aaa ggc ccc atc cac atg gat aat gtg aag tgc aca gga aat	1397
Glu Gly Lys Gly Pro Ile His Met Asp Asn Val Lys Cys Thr Gly Asn	
425 430 435	

gag aag gcc ctg gct gac tgt gtc aaa caa gac att gga agg cac aac	1445
Glu Lys Ala Leu Ala Asp Cys Val Lys Gln Asp Ile Gly Arg His Asn	
440 445 450	
tgc cgc cac agt gag gat gca gga gtc atc tgt gac tat tta gag aag	1493
Cys Arg His Ser Glu Asp Ala Gly Val Ile Cys Asp Tyr Leu Glu Lys	
455 460 465	
aaa gca tca agt agt ggt aat aaa gag atg ctc tca tct gga tgt gga	1541
Lys Ala Ser Ser Ser Gly Asn Lys Glu Met Leu Ser Ser Gly Cys Gly	
470 475 480 485	
ctg agg tta ctg cac cgt cgg cag aaa cgg atc att ggt ggg aac aat	1589
Leu Arg Leu Leu His Arg Arg Gln Lys Arg Ile Ile Gly Gly Asn Asn	
490 495 500	
tct tta agg ggt gcc tgg cct tgg cag gct tcc ctc agg ctg agg tgg	1637
Ser Leu Arg Gly Ala Trp Pro Trp Gln Ala Ser Leu Arg Leu Arg Ser	
505 510 515	
gcc cat gga gac ggc agg ctg ctt tgt gga gct acc ctt ctg agt agc	1685
Ala His Gly Asp Gly Arg Leu Leu Cys Gly Ala Thr Leu Leu Ser Ser	
520 525 530	
tgc tgg gtc ctg aca gct gca cac tgc ttc aaa agg tac gga aac aac	1733
Cys Trp Val Leu Thr Ala Ala His Cys Phe Lys Arg Tyr Gly Asn Asn	
535 540 545	
tgc agg agc tat gca gtt cga gtt ggg gat tat cat act ctg gtc cca	1781
Ser Arg Ser Tyr Ala Val Arg Val Gly Asp Tyr His Thr Leu Val Pro	
550 555 560 565	
gag gag ttt gaa caa gaa ata ggg gtt caa cag att gtg att cac agg	1829
Glu Glu Phe Glu Gln Glu Ile Gly Val Gln Gln Ile Val Ile His Arg	
570 575 580	
aac tac agg cca gac aga agc gac tat gac att gcc ctg gtt aga ttg	1877
Asn Tyr Arg Pro Asp Arg Ser Asp Tyr Asp Ile Ala Leu Val Arg Leu	
585 590 595	
caa gga cca ggg gag caa tgt gcc aga cta agc acc cac gtt ttg cca	1925
Gln Gly Pro Gly Glu Gln Cys Ala Arg Leu Ser Thr His Val Leu Pro	
600 605 610	
gcc tgt tta cct cta tgg aga gag agg cca cag aaa aca gcc tcc aac	1973
Ala Cys Leu Pro Leu Trp Arg Glu Arg Pro Gln Lys Thr Ala Ser Asn	
615 620 625	
tgt cac ata aca gga tgg gga gac aca ggt cgt gcc tac tca aga act	2021
Cys His Ile Thr Gly Trp Gly Asp Thr Gly Arg Ala Tyr Ser Arg Thr	
630 635 640 645	
cta caa caa gct gct gtg cct ctg tta ccc aag agg ttt tgt aaa gag	2069
Leu Gln Gln Ala Ala Val Pro Leu Leu Pro Lys Arg Phe Cys Lys Glu	
650 655 660	

agg tac aag gga cta ttt act ggg aga atg ctc tgt gct ggg aac ctc 2117
 Arg Tyr Lys Gly Leu Phe Thr Gly Arg Met Leu Cys Ala Gly Asn Leu
 665 670 675

caa gaa gac aac cgt gtg gac agc tgc cag gga gac agt gga gga cca 2165
 Gln Glu Asp Asn Arg Val Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro
 680 685 690

ctc atg tgt gaa aag cct gat gag tcc tgg gtt gtg tat ggg gtg act 2213
 Leu Met Cys Glu Lys Pro Asp Glu Ser Trp Val Val Tyr Gly Val Thr
 695 700 705

tcc tgg ggg tat gga tgt gga gtc aaa gac act cct gga gtt tat acc 2261
 Ser Trp Gly Tyr Gly Cys Gly Val Lys Asp Thr Pro Gly Val Tyr Thr
 710 715 720 725

aga gtc ccc gct ttt gta cct tgg ata aaa agt gtc acc agt ctg 2306
 Arg Val Pro Ala Phe Val Pro Trp Ile Lys Ser Val Thr Ser Leu
 730 735 740

taacttatgg aaagctcaag aaatagtaaa acagtaacta ttcagtcctc 2356

<210> 4
 <211> 761
 <212> PRT
 <213> Mus musculus

<400> 4
 Met Ala Leu Ala Arg Cys Val Leu Ala Val Ile Leu Gly Ala Leu Ser
 -20 -15 -10

Val Val Ala Arg Ala Asp Pro Val Ser Arg Ser Pro Leu His Arg Pro
 -5 -1 1 5 10

His Pro Ser Pro Pro Arg Ser Gln His Ala His Tyr Leu Pro Ser Ser
 15 20 25

Arg Arg Pro Pro Arg Thr Pro Arg Phe Pro Leu Pro Leu Arg Ile Pro
 30 35 40

Ala Ala Gln Arg Pro Gln Val Leu Ser Thr Gly His Thr Pro Pro Thr
 45 50 55

Ile Pro Arg Arg Cys Gly Ala Gly Glu Ser Trp Gly Asn Ala Thr Asn
 60 65 70 75

Leu Gly Val Pro Cys Leu His Trp Asp Glu Val Pro Pro Phe Leu Glu
 80 85 90

Arg Ser Pro Pro Ala Ser Trp Ala Glu Leu Arg Gly Gln Pro His Asn
 95 100 105

Phe Cys Arg Ser Pro Asp Gly Ser Gly Arg Pro Trp Cys Phe Tyr Arg
 110 115 120

Asn Ala Gln Gly Lys Val Asp Trp Gly Tyr Cys Asp Cys Gly Gln Gly
 125 130 135
 Pro Ala Leu Pro Val Ile Arg Leu Val Gly Gly Asn Ser Gly His Glu
 140 145 150 155
 Gly Arg Val Glu Leu Tyr His Ala Gly Gln Trp Gly Thr Ile Cys Asp
 160 165 170
 Asp Gln Trp Asp Asn Ala Asp Ala Asp Val Ile Cys Arg Gln Leu Gly
 175 180 185
 Leu Ser Gly Ile Ala Lys Ala Trp His Gln Ala His Phe Gly Glu Gly
 190 195 200
 Ser Gly Pro Ile Leu Leu Asp Glu Val Arg Cys Thr Gly Asn Glu Leu
 205 210 215
 Ser Ile Glu Gln Cys Pro Lys Ser Ser Trp Gly Glu His Asn Cys Gly
 220 225 230 235
 His Lys Glu Asp Ala Gly Val Ser Cys Val Pro Leu Thr Asp Gly Val
 240 245 250
 Ile Arg Leu Ala Gly Gly Lys Ser Thr His Glu Gly Arg Leu Glu Val
 255 260 265
 Tyr Tyr Lys Gly Gln Trp Gly Thr Val Cys Asp Asp Gly Trp Thr Glu
 270 275 280
 Met Asn Thr Tyr Val Ala Cys Arg Leu Leu Gly Phe Lys Tyr Gly Lys
 285 290 295
 Gln Ser Ser Val Asn His Phe Asp Gly Ser Asn Arg Pro Ile Trp Leu
 300 305 310 315
 Asp Asp Val Ser Cys Ser Gly Lys Glu Val Ser Phe Ile Gln Cys Ser
 320 325 330
 Arg Arg Gln Trp Gly Arg His Asp Cys Ser His Arg Glu Asp Val Gly
 335 340 345
 Leu Thr Cys Tyr Pro Asp Ser Asp Gly His Arg Leu Ser Pro Gly Phe
 350 355 360
 Pro Ile Arg Leu Val Asp Gly Glu Asn Lys Lys Glu Gly Arg Val Glu
 365 370 375
 Val Phe Val Asn Gly Gln Trp Gly Thr Ile Cys Asp Asp Gly Trp Thr
 380 385 390 395
 Asp Lys His Ala Ala Val Ile Cys Arg Gln Leu Gly Tyr Lys Gly Pro
 400 405 410
 Ala Arg Ala Arg Thr Met Ala Tyr Phe Gly Glu Gly Lys Gly Pro Ile

415	420	425
His Met Asp Asn Val Lys Cys Thr Gly Asn Glu Lys Ala Leu Ala Asp 430 435 440		
Cys Val Lys Gln Asp Ile Gly Arg His Asn Cys Arg His Ser Glu Asp 445 450 455		
Ala Gly Val Ile Cys Asp Tyr Leu Glu Lys Lys Ala Ser Ser Ser Gly 460 465 470 475		
Asn Lys Glu Met Leu Ser Ser Gly Cys Gly Leu Arg Leu Leu His Arg 480 485 490		
Arg Gln Lys Arg Ile Ile Gly Gly Asn Asn Ser Leu Arg Gly Ala Trp 495 500 505		
Pro Trp Gln Ala Ser Leu Arg Leu Arg Ser Ala His Gly Asp Gly Arg 510 515 520		
Leu Leu Cys Gly Ala Thr Leu Leu Ser Ser Cys Trp Val Leu Thr Ala 525 530 535		
Ala His Cys Phe Lys Arg Tyr Gly Asn Asn Ser Arg Ser Tyr Ala Val 540 545 550 555		
Arg Val Gly Asp Tyr His Thr Leu Val Pro Glu Glu Phe Glu Gln Glu 560 565 570		
Ile Gly Val Gln Gln Ile Val Ile His Arg Asn Tyr Arg Pro Asp Arg 575 580 585		
Ser Asp Tyr Asp Ile Ala Leu Val Arg Leu Gln Gly Pro Gly Glu Gln 590 595 600		
Cys Ala Arg Leu Ser Thr His Val Leu Pro Ala Cys Leu Pro Leu Trp 605 610 615		
Arg Glu Arg Pro Gln Lys Thr Ala Ser Asn Cys His Ile Thr Gly Trp 620 625 630 635		
Gly Asp Thr Gly Arg Ala Tyr Ser Arg Thr Leu Gln Gln Ala Ala Val 640 645 650		
Pro Leu Leu Pro Lys Arg Phe Cys Lys Glu Arg Tyr Lys Gly Leu Phe 655 660 665		
Thr Gly Arg Met Leu Cys Ala Gly Asn Leu Gln Glu Asp Asn Arg Val 670 675 680		
Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro Leu Met Cys Glu Lys Pro 685 690 695		
Asp Glu Ser Trp Val Val Tyr Gly Val Thr Ser Trp Gly Tyr Gly Cys 700 705 710 715		

Gly Val Lys Asp Thr Pro Gly Val Tyr Thr Arg Val Pro Ala Phe Val
 720 725 730

Pro Trp Ile Lys Ser Val Thr Ser Leu
 735 740

<210> 5

<211> 257

<212> PRT

<213> Homo sapiens

<400> 5

Cys Gly Leu Arg Leu Leu His Arg Arg Gln Lys Arg Ile Ile Gly Gly
 1 5 10 15

Lys Asn Ser Leu Arg Gly Gly Trp Pro Trp Gln Val Ser Leu Arg Leu
 20 25 30

Lys Ser Ser His Gly Asp Gly Arg Leu Leu Cys Gly Ala Thr Leu Leu
 35 40 45

Ser Ser Cys Trp Val Leu Thr Ala Ala His Cys Phe Lys Arg Tyr Gly
 50 55 60

Asn Ser Thr Arg Ser Tyr Ala Val Arg Val Gly Asp Tyr His Thr Leu
 65 70 75 80

Val Pro Glu Glu Phe Glu Glu Glu Ile Gly Val Gln Gln Ile Val Ile
 85 90 95

His Arg Glu Tyr Arg Pro Asp Arg Ser Asp Tyr Asp Ile Ala Leu Val
 100 105 110

Arg Leu Gln Gly Pro Glu Glu Gln Cys Ala Arg Phe Ser Ser His Val
 115 120 125

Leu Pro Ala Cys Leu Pro Leu Trp Arg Glu Arg Pro Gln Lys Thr Ala
 130 135 140

Ser Asn Cys Tyr Ile Thr Gly Trp Gly Asp Thr Gly Arg Ala Tyr Ser
 145 150 155 160

Arg Thr Leu Gln Gln Ala Ala Ile Pro Leu Leu Pro Lys Arg Phe Cys
 165 170 175

Glu Glu Arg Tyr Lys Gly Arg Phe Thr Gly Arg Met Leu Cys Ala Gly
 180 185 190

Asn Leu His Glu His Lys Arg Val Asp Ser Cys Gln Gly Asp Ser Gly
 195 200 205

Gly Pro Leu Met Cys Glu Arg Pro Gly Glu Ser Trp Val Val Tyr Gly
 210 215 220

Val Thr Ser Trp Gly Tyr Gly Cys Gly Val Lys Asp Ser Pro Gly Val

225

230

235

240

Tyr Thr Lys Val Ser Ala Phe Val Pro Trp Ile Lys Ser Val Thr Lys
 245 250 255

Leu

<210> 6

<211> 257

<212> PRT

<213> Mus musculus

<400> 6

Cys Gly Leu Arg Leu Leu His Arg Arg Gln Lys Arg Ile Ile Gly Gly
 1 5 10 15

Asn Asn Ser Leu Arg Gly Ala Trp Pro Trp Gln Ala Ser Leu Arg Leu
 20 25 30

Arg Ser Ala His Gly Asp Gly Arg Leu Leu Cys Gly Ala Thr Leu Leu
 35 40 45

Ser Ser Cys Trp Val Leu Thr Ala Ala His Cys Phe Lys Arg Tyr Gly
 50 55 60

Asn Asn Ser Arg Ser Tyr Ala Val Arg Val Gly Asp Tyr His Thr Leu
 65 70 75 80

Val Pro Glu Glu Phe Glu Gln Glu Ile Gly Val Gln Gln Ile Val Ile
 85 90 95

His Arg Asn Tyr Arg Pro Asp Arg Ser Asp Tyr Asp Ile Ala Leu Val
 100 105 110

Arg Leu Gln Gly Pro Gly Glu Gln Cys Ala Arg Leu Ser Thr His Val
 115 120 125

Leu Pro Ala Cys Leu Pro Leu Trp Arg Glu Arg Pro Gln Lys Thr Ala
 130 135 140

Ser Asn Cys His Ile Thr Gly Trp Gly Asp Thr Gly Arg Ala Tyr Ser
 145 150 155 160

Arg Thr Leu Gln Gln Ala Ala Val Pro Leu Leu Pro Lys Arg Phe Cys
 165 170 175

Lys Glu Arg Tyr Lys Gly Leu Phe Thr Gly Arg Met Leu Cys Ala Gly
 180 185 190

Asn Leu Gln Glu Asp Asn Arg Val Asp Ser Cys Gln Gly Asp Ser Gly
 195 200 205

Gly Pro Leu Met Cys Glu Lys Pro Asp Glu Ser Trp Val Val Tyr Gly

210

215

220

Val Thr Ser Trp Gly Tyr Gly Cys Gly Val Lys Asp Thr Pro Gly Val
 225 230 235 240

Tyr Thr Arg Val Pro Ala Phe Val Pro Trp Ile Lys Ser Val Thr Ser
 245 250 255

Leu

<210> 7

<211> 23

<212> DNA

<213> Mus musculus

<220>

<221> misc_feature

<222> (6)..(18)

<223> Nucleotides 6, 9, 12, 15, and 18 are n wherein n = i.

<400> 7

tgggtnsynw sngcngcnca ttg

23

<210> 8

<211> 20

<212> DNA

<213> Mus musculus

<220>

<221> misc_feature

<222> (9)..(18)

<223> Nucleotides 9, 15, and 18 are n wherein n = i.

<400> 8

acrbtyccnc trwsncncnc

20

<210> 9

<211> 14

<212> PRT

<213> Mus musculus

<400> 9

Ser Ser Cys Trp Val Leu Ser Ala Ala His Cys Phe Leu Glu

1

5

10

<210> 10

<211> 13

<212> PRT

<213> Mus musculus

<400> 10
His Asp Ala Cys Gln Gly Asp Ser Gly Gly Pro Leu Val
1 5 10

<210> 11
<211> 14
<212> PRT
<213> Mus musculus

<400> 11
Ser Pro Cys Trp Val Ala Ser Ala Ala His Cys Phe Ile Gln
1 5 10

<210> 12
<211> 13
<212> PRT
<213> Mus musculus

<400> 12
Thr Asp Ser Cys Lys Gly Asp Ser Gly Gly Pro Leu Ile
1 5 10

<210> 13
<211> 14
<212> PRT
<213> Mus musculus

<400> 13
Ser Asp Arg Trp Val Leu Thr Ala Ala His Cys Ile Leu Tyr
1 5 10

<210> 14
<211> 13
<212> PRT
<213> Mus musculus

<400> 14
Gly Asp Ala Cys Glu Gly Asp Ser Gly Gly Pro Phe Val
1 5 10

<210> 15
<211> 14
<212> PRT
<213> Mus musculus

<400> 15
Ala Pro Glu Trp Val Leu Thr Ala Ala His Cys Leu Lys Ser
1 5 10

<210> 16
<211> 13
<212> PRT
<213> Mus musculus

<400> 16
Val Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro Leu Val
1 5 10

<210> 17
<211> 14
<212> PRT
<213> Mus musculus

<400> 17
Asn Asp Gln Trp Val Val Ser Ala Ala His Cys Tyr Lys Tyr
1 5 10

<210> 18
<211> 13
<212> PRT
<213> Mus musculus

<400> 18
Lys Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro Val Val
1 5 10

<210> 19
<211> 14
<212> PRT
<213> Mus musculus

<400> 19
Ser Glu Asp Trp Val Val Thr Ala Ala His Cys Gly Val Lys
1 5 10

<210> 20
<211> 13
<212> PRT
<213> Mus musculus

<400> 20
Val Ser Ser Cys Met Gly Asp Ser Gly Gly Pro Leu Val
1 5 10

<210> 21
<211> 14
<212> PRT
<213> Mus musculus

<400> 21
 Ala Asn Asn Trp Val Leu Thr Ala Ala His Cys Leu Ser Asn
 1 5 10

<210> 22
 <211> 13
 <212> PRT
 <213> Mus musculus

<400> 22
 Thr Ser Ser Cys Asn Gly Asp Ser Gly Gly Pro Leu Asn
 1 5 10

<210> 23
 <211> 32
 <212> DNA
 <213> EcoRI and BamHI

<220>
 <221> misc_feature
 <222> (15)..(27)
 <223> Nucleotides 15, 18, 21, 24, and 27 are n wherein n
 = i.

<220>
 <221> misc_feature
 <222> (16)
 <223> Nucleotide 16 is n wherein n c/g.

<220>
 <221> misc_feature
 <222> (17)
 <223> Nucleotide 17 is n wherein n = t/c.

<220>
 <221> misc_feature
 <222> (19)
 <223> Nucleotide 19 is n wherein n = t/a.

<220>
 <221> misc_feature
 <222> (20)
 <223> Nucleotide 20 is n wherein n = g/c.

<220>
 <221> misc_feature
 <222> (30)
 <223> Nucleotide 30 is n wherein n = t/c.

<400> 23
 ggggaattct gggtnnnnnn ngcngcncan tg

32

<210> 24
<211> 29
<212> DNA
<213> EcoRI and BamHI

<220>
<221> misc_feature
<222> (12)..(21)
<223> Nucleotides 12, 15, and 21 are n wherein n = i.

<220>
<221> misc_feature
<222> (16)
<223> Nucleotide 16 is n wherein n = g/c.

<220>
<221> misc_feature
<222> (17)
<223> Nucleotide 17 is n wherein n = a/t.

<220>
<221> misc_feature
<222> (18)
<223> Nucleotide 18 is n wherein n = a/g.

<220>
<221> misc_feature
<222> (24)
<223> Nucleotide 24 is n wherein n = c/t.

<220>
<221> misc_feature
<222> (26)
<223> Nucleotide 26 is n wherein = g/c/t.

<220>
<221> misc_feature
<222> (27)
<223> Nucleotide 27 is n wherein n = g/a.

<400> 24
gggggagatccc cncnnnnntc nccntnnca

29

<210> 25
<211> 33
<212> DNA
<213> HindIII and XhoI

<220>
<221> misc_feature
<222> (12)..(27)
<223> Nucleotides 12, 21, 24, and 27 are n wherein n = i.

<220>
 <221> misc_feature
 <222> (15)
 <223> Nucleotide 15 is n wherein n = a/g.

<220>
 <221> misc_feature
 <222> (25)
 <223> Nucleotide 25 is n wherein n = a/g.

<220>
 <221> misc_feature
 <222> (30)
 <223> Nucleotide 30 is n wherein n = c/t.

<220>
 <221> misc_feature
 <222> (33)
 <223> Nucleotide 33 is n wherein n = c/t.

<400> 25
 gggaagcttg gncantgggg nacnntntgn gan 33

<210> 26
 <211> 33
 <212> DNA
 <213> HindIII and XhoI

<220>
 <221> misc_feature
 <222> (15)..(28)
 <223> Nucleotides 15 and 28 are n wherein n = i.

<400> 26
 gggctcgagc cccancctgt tatgtaanag ttg 33

<210> 27
 <211> 17
 <212> PRT
 <213> Mus musculus

<400> 27
 Ser Arg Ser Pro Leu His Arg Pro His Pro Ser Pro Pro Arg Ser Gln
 1 5 10 15

Xaa

<210> 28
 <211> 13
 <212> PRT
 <213> Mus musculus

<400> 28

Leu Pro Ser Ser Arg Arg Pro Pro Arg Thr Pro Arg Phe
1 5 10

09/403724
420 Rec'd PCT/PTO 26 OCT 1999

Patent
Attorney's Docket No. 030708-035

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)
Peter SONDEREGGER) Group Art Unit: Unassigned
Application No.:) Examiner: Unassigned
Filed: October 26, 1999)
For: NEUROTTRYPSIN)

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Prior to examination on the merits, please amend the
subject application as follows:

IN THE CLAIMS:

Please cancel claims 1-46 without prejudice or
disclaimer.

Please add the following new claims 47-61:

- 47. Neurotrypsins of the formulas I and II
- I: neurotrypsin of the human
- II: neurotrypsin of the mouse

48. Neurotrypsin according to claim 47, characterized in
that the compounds of the formulas I and II comprise the

separate, coding nucleotide sequences and the coded amino acid sequences of the compounds of the formulas I or II.

✓ 49. Use of the coding nucleotide sequences of the compounds of the formulas I or II for the production of recombinant proteins.

✓ 50. Use of proteins with the coded amino acid sequences of the compounds of the formulas I or II as targets for the development of pharmaceutical drugs, for example for the inhibition or the enhancement of the catalytic activity of the coded proteins of the formulas I or II.

✓ 51. Use of the species-homologous proteins of the compounds of the formulas I or II as targets for the development of pharmaceutical drugs, for example for the inhibition or the enhancement of the catalytic activity of the coded proteins of the formulas I or II.

✓ 52. Use of the proteins with the coded amino acid sequences of the compounds of the formulas I or II for the

spatial structure determination, for example the spatial structure determination by means of crystallography or nuclear resonance spectroscopy.

✓ 53. Use of the coded amino acid sequences of the compounds of the formulas I or II for the prediction of the protein structure by means of computerized protein structure prediction methods.

✓ 54. Use of the spatial structure of the coded amino acid sequences of the compounds of the formulas I or II as targets for the development of pharmaceutical drugs, for example for the inhibition or the enhancement of the catalytic activity of the coded proteins of the compounds of the formulas I or II.

55. Use of the coding nucleotide sequences of the compounds of the formulas I or II in gene therapeutical applications in humans and in animals, as for example as parts of gene therapy vectors as for example as parts of artificial chromosomes.

56. Use the compounds of the formulas I or II for so-called cell engineering applications for the production of gene technologically mutated cells, which produce the coded sequences.

57. Use of the coded amino acid sequences of the compounds of the formulas I or II as antigens for the production of antibodies, as for example antibodies that inhibit or promote the protease function or antibodies that can be used for immunohistochemical studies.

58. Use of the coding nucleotide sequences of the compounds of the formulas I or II for the production of transgenic animals, as for example transgenic mice.

59. Use of the coding nucleotide sequences of the compounds of the formulas I or II for the inactivation or the mutation of the corresponding gene by means of gene targeting techniques, as for example the elimination of the gene in the mouse through homologous recombination.

60. Use of the compounds of the formulas I or II for the diagnostics of disorders in the gene corresponding to the compound of the formula I.

61. Use of the coding nucleotide sequences of the compounds of the formulas I or II as a starting sequence for gene technological modifications aimed at the production of pharmaceutical compositions or gene therapy vectors which exhibit changed properties as compared with the corresponding pharmaceutical compositions or gene therapy vectors containing the coding nucleotide sequence of the compounds of formulas I or II, for example changed proteolytic activity, changed proteolytic specificity, or changed pharmacokinetic characteristics.--

REMARKS

Support for the new claims can be found, at least, in original claims 1-46.

Application No.
Attorney's Docket No. 030708-035

Early and favorable consideration of the subject
application is earnestly solicited.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By: _____

Bruce J. Boggs, Jr.
Bruce J. Boggs, Jr.

Registration No. 32,344

P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620

by Richard C. Elstner
Reg No. 37,027

Date: October 26, 1999

420 Rec'd PCT/PTO 26 OCT 1999

NeurotrypsinTechnical Field

5

The present invention is directed to neurotrypsins and to a pharmaceutical composition which contains these substances or has an influence on these substances.

10 Disclosure of Invention

Neurotrypsin is a newly discovered serine protease, which is predominantly expressed in the brain and in the lungs; the expression in the brain takes place nearly exclusively in the neurons.

15

Neurotrypsin has a previously not yet found domain composition: besides the protease domain, there are found 3 or 4 SRCR (scavenger receptor cysteine-rich) domains and one Kringle domain. It is to be pointed out that the combination of Kringle and SRCR domains have not yet been found in proteins. At the amino terminus of the neurotrypsin protein there is a segment of more than 60 amino acids, which has an extremely high proportion of proline and basic amino acids (arginine and histidine).

20

The invention is characterized by the characteristics in the independent claims. Preferred embodiments are defined in the dependent claims.

25

The newly found neurotrypsins

- neurotrypsin of the human (compound of the formula I),
- neurotrypsin of the mouse (compound of the formula II)

30 differ structurally very much from the so far known serine proteases.

The serine protease whose protease domain is structurally most closely related with the protease domain of the new compounds, namely plasmin (of the human), has only a 44 % amino acid sequence identity.

35

The proline-rich, basic segment at the amino terminus has a certain resemblance with the basic segments of the netrins and the semaphorins/collapsins. Due to this

segment, it is probable that neurotrypsin may be enriched by means of heparin-affinity chromatography.

The neurotrypsins of the human (compound of the formula I) and of the mouse
5 (compound of the formula II) exhibit a very high structural similarity among each other.

The identity of the amino acid sequences of the native proteins of the compounds of the formulas I or II amounts to 81%.

10 The neurotrypsin of the human (compound of the formula I) has a coding sequence of 2625 nucleotides. The coded peptide of the compound of the formula I has a length of 875 amino acids and contains a signal peptide of 20 amino acids. The neurotrypsin of the mouse (compound of the formula II) has a coding sequence of 2283 nucleotides. The coded protein of the compound of the formula II has a length of 761
15 amino acids and contains a signal peptide of 21 amino acids. The reason for the greater length of the neurotrypsin of the human consists therein that the human neurotrypsin has 4 SRCR domains, whereas the neurotrypsin of the mouse has only 3 SRCR domains.

20 The domains which are present in both compounds (compound of the formula I and compound of the formula II) have a high degree of sequence similarity. The corresponding SRCR domains of the compounds of the formulas I and II have an amino acid sequence identity from 81% to 91%. The corresponding Kringle domains have an amino acid sequence identity of 75%. A high degree of similarity consists also in the enzymatically active (i.e. proteolytic) domain (90% amino acid sequence identity).

25

The protease domains of the neurotrypsins of the human (compound of the formula I) and of the mouse (compound of the formula II) are aligned in the following section, in order to illustrate the high degree of sequence identity.

CGLRLLHRRQKRIIGGKNSLRGGWPQVSLRLKSSHGDGRLLCGATLLSS 50
 |||||:||||:|:|||||
 CGLRLLHRRQKRIIGGNNSLRGAWPQASLRLRSAHGDRLLCGATLLSS

 CWVLTAAHCFKRYGNSTRSYAVRVGDYHTLVPEEFEEIGVQQIVIHREY 100
 |||||:||||:|:|||||
 CWVLTAAHCFKRYGNNSRSYAVRVGDYHTLVPEEFQEIGVQQIVIHREY

 RPDRSDYDIALVRLQGPEEQCARFSSHVLPACLPWRERPQKTASNCYIT 150
 |||||:||||:|:|||||
 RPDRSDYDIALVRLQGPGEQCARLSTHVLPACLPWRERPQKTASNCHIT

 GWGDTGRAYSRITLQAAIPLPKRFCEERYKGRFTGRMLCAGNLHEHKRV 200
 |||||:||||:|:|||||
 GWGDTGRAYSRITLQAAVPLPKRFCKERYKGLFTGRMLCAGNLQEDNRV

 DSCQGDGSGGPLMCERPGEWVVYGVTSWGYCGVKDTPGVYTKVSAFVFW 250
 |||||:||||:|:|||||
 DSCQGDGSGGPLMCEKPDSEWVVYGVTSWGYCGVKDTPGVYTRVPAFVFW

 IKSVTKL 258
 ||||:|
 IKSVTSL

From the 258 amino acid sequence positions included in the comparison there are 233 amino acids that are identical in both compounds (upper sequence: compound of the formula I; lower sequence: compound of the formula II; identical amino acids are indicated by vertical lines).

The inventive neurotrypsins are unique when compared with the known serine proteases in that they are expressed according to currently available observations in a distinct degree in neurons. A further organ with a strong expression of neurotrypsin are the lungs (see Gschwend et al., Mol. Cell. Neurosci. 9, pages 207-219, 1997).

The proteins that are structurally most similar to the compounds of the formulas I or II are serine proteases, such as tissue-type plasminogen activator (tPA), urokinase-type plasminogen activator (uPA), plasmin, trypsin, apolipoprotein (a), coagulation factor XI, neuropsin, and acrosin.

In the adult brain, the inventive compounds are expressed predominantly in the cerebral cortex, the hippocampus, and the amygdala.

In the adult brain stem and the spinal cord, the inventive compounds are expressed predominantly in the motor neurons. A slightly weaker expression is found in the neurons of the superficial layers of the dorsal horn of the spinal cord.

In the adult peripheral nervous system, the inventive compounds are expressed in a subpopulation of the sensory ganglia neurons.

The inventive compounds were found in connection with a study aimed at discovering trypsin-like serine proteases in the nervous system.

The first compound that was found and characterized was the compound of the formula II (Gschwend et al., Mol. Cell. Neurosci. 9, pages 207-219, 1997).

By means of an alignment of the protease domains of 7 known serine proteases (tissue-type plasminogen activator, urokinase-type plasminogen activator, thrombin, plasmin, trypsin, chymotrypsin, and pancreatic elastase) in the proximity of the histidine and the serine of the catalytic triade of the active site, the sequences of the so-called primer oligonucleotides for the polymerase chain reaction were determined.

The primer oligonucleotides were used in a polymerase chain reaction (PCR) together with ss-cDNA from total RNA of the brains of 10 days old mice and resulted in the amplification of a cDNA fragment of a length of approximately 500 base pairs.

This cDNA fragment was used successfully for the isolation of further cDNA fragments by screening commercially available cDNA libraries. Together, the isolated cDNA fragments covered the full length of the coding part of the compound of the formula II.

By conventional DNA sequencing the complete nucleotide sequence and the amino acid sequence deduced therefrom was obtained.

5 The compound of the formula I was cloned based on its pronounced similarity with the compound of the formula II.

The primer oligonucleotides used were synthesized according to the known sequence of the compound of the formula II.

10

The cloning of the compound of the formula I was performed by means of two commercially available cDNA libraries from fetal human brain.

15

This procedure for the cloning can also be used for the isolation of the homologous compounds of other species, such as rat, rabbit, guinea pig, cow, sheep, pig, primates, birds, zebra fish (*Brachydanio rerio*), *Drosophila melanogaster*, *Caenorhabditis elegans* etc.

20

The coding nucleotide sequences can be used for the production of proteins with the coded amino acid sequences of the compounds of the formulas I or II. A procedure developed in our laboratory allows the production of recombinant proteins in myeloma cells as fusion proteins with an immunoglobulin domain (constant domain of the kappa light chain). The principle of the construction is given in detail by Rader et al. (Rader et al., Eur. J. Biochem. 215, pages 133-141, 1993). The fusion protein produced by the myeloma cells was isolated by immunoaffinity chromatography using a monoclonal antibody against the Ig domain of the kappa light chain. With the same expression method, also the native protein of a compound, starting from the coding sequence, can be produced.

25

The coding sequences of the compounds of the formulas I or II can be used as starting compounds for the discovery and the isolation of alleles of the compounds of the formulas I or II. Both the polymerase chain reaction and the nucleic acid hybridization can be used for this purpose.

The coding sequences of the compounds of the formulas I or II can be used as starting compounds for so-called "site-directed mutagenesis", in order to generate nucleotide sequences coding the coded proteins that are defined by the compounds of the formulas I or II, or parts thereof, but whose nucleotide sequence is degenerated with
5 respect to the compounds of the formulas I or II due to use of alternative codons.

The coding sequences of the compounds of the formulas I or II can be used as starting compounds for the production of sequence variants by means of so-called site-directed mutagenesis.

10

Best Modes for Carrying out the Invention (Examples)cDNA cloning of the compound of the formula II (neurotrypsin of the mouse)

- 5 Total RNA was isolated from the brains of 10 days old mice (ICR-ZUR) according to the method of Chomczynski and Sacchi (1987). The production of single stranded cDNA was carried out using oligo(dT) primer and a RNA-dependent DNA polymerase (SuperScript RNase H⁻Reverse Transcriptase; Gibco BRL, Gaithersburg, MD) according to the instruction of the supplier. For the realization of the polymerase chain reaction one
- 10 forward primer was synthesized based on the amino acid sequence of the region of the conserved histidine of the catalytic triade and one primer in the backward direction was synthesized based on the amino acid sequence of the region of the conserved serine of the catalytic triade of the serine proteases. The amino acid sequences used for the determination of the oligonucleotide primers were taken from seven known serine
- 15 proteases. They are presented in the following.

Protease domain	I →										← II									
	N										C									
tPA (m)	..SSC	W	V	L	S	A	A	H	C	FLE.....	HDA	C	Q	G	D	S	G	G	PLV..	
uPA (m)	..SPC	W	V	A	S	A	A	H	C	FIQ.....	TDS	C	K	G	D	S	G	G	PLI..	
thrombin (m)	..SDR	W	V	L	T	A	A	H	C	ILY.....	GDA	C	E	G	D	S	G	G	PFV..	
plasmin (m)	..APE	W	V	L	T	A	A	H	C	LKS.....	VDS	C	Q	G	D	S	G	G	PLV..	
trypsin (m)	..NDQ	W	V	V	S	A	A	H	C	YKY.....	KDS	C	Q	G	D	S	G	G	PVV..	
chymotryp b (r)	..SED	W	V	V	T	A	A	H	C	GVK.....	VSS	C	R	G	D	S	G	G	PLV..	
pancElas II (m)	..ANN	W	V	L	T	A	A	H	C	LSN.....	TSS	C	N	G	D	S	G	G	PLN..	

Primer (I) 5'-TGG GTI SYI WSI GCI GCI CAT TG-3' (II) 3'-ACR BTY CCI CTR WSI CCI CC-5'

- The protease domains of 7 known serine proteases (tissue-type plasminogen activator, urokinase-type plasminogen activator, thrombin, plasmin, trypsin, chymotrypsin, and pancreatic elastase) were aligned in the region of the conserved
- 20 histidine and serine of the catalytic triade of the active site. The conserved amino acids of these regions were taken as the basis for the determination of the degenerated primers. The primer sequences are given according to the recommendation of the IUB nomenclature (Nomenclature Committee 1985).

- 25 The primers used in the PCR contained restriction sites for *Eco*Rl and *Bam*HI at their 5' ends in order to facilitate a subsequent cloning.

The following primers were used:

In the reading direction (sense primers):

5'-GGGGAATTCTGGGT(C/G)(T/C)I(T/A)(G/C)IGCIGCICA(T/C)TG-3'

5 In the counter direction (antisense primers):

5'-GGGGGATCCCCICCI(G/C)(A/T)(A/G)TCICC(C/T)T(G/C/T)(G/A)CA-3'.

The polymerase chain reaction was carried out under standard conditions using the DNA polymerase AmpliTaq (Perkin Elmer) according to the recommendations of the producer. The following PCR profile was employed: 93°C for 3 minutes, followed by 35 cycles of 93°C for 1 minute, 48°C for 2 minutes, and 72°C for 2 minutes. Following the last cycle, the incubation was continued at 72°C for further 10 minutes.

The amplified fragments had an approximate length of 500 base pairs. They were cut with *EcoRI* and *BamHI* and inserted in a Blue Script vector (Bluescript SK(-), Stratagene). The resulting clones were analyzed by DNA sequence determination using the dideoxy chain termination method (Sanger et al., Proc. Natl. Acad. Sci. USA 77, pages 2163-2167, 1977) on an automated DNA sequencer (LI-COR, model 4000L; Lincoln, NE) using a commercial sequencing kit (SequiTerm long-read cycle sequencing kit-LC; Epicentre Technologies, Madison, WI). The analysis yielded a sequence of 474 base pairs of the catalytic region of the serine protease domain of the compound of the formula II.

The 474 base pair long PCR fragment was used for screening of an oligo(dT)-primed Uni-ZAP-XR cDNA library from the brain of 20 days old mice (Stratagene; cat. no. 937 319). At total of 3×10^8 lambda plaques were screened under high stringent conditions (Sambrook et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory Press, 1989) using a radioactively labeled PCR fragment as a probe and 24 positive clones were found.

From the positive Lambda-Uni-ZAP-XR phagemid clones the corresponding Bluescript plasmid was cut out by *in vivo* excision according to a standard method recommended by the producer (Stratagene). In order to determine the length of the inserted fragments the corresponding Bluescript plasmid clones were digested with *Sad* and *KpnI*. The clones containing the longest fragments were analyzed by DNA

sequencing (as described above) and for subsequent data analysis the GCG software (version 8.1, Unix; Silicon Graphics, Inc.) was used.

Because none of the clones contained the coding sequence in full length, a second
5 cDNA library was screened. The library used in this screen was an oligo(dT)- and
random-primed cDNA library in a Lambda phage (Lambda gt10) which was based on
mRNA from 15 days old mouse embryos (oligo(dT)- and random-primed Lambda gt10
cDNA library; Clontech, Palo Alto, CA; cat. no. ML 3002a). As a probe a radioactively
10 labeled DNA fragment (Aval/AatII) from the 5' end of the longest clone of the first screen
was used and approximately 2×10^6 plaques were screened. This screen resulted in 14
positive clones. The cDNA fragments were excised with *EcoRI* and cloned into the
Bluecript vector (KS(+); Stratagene). The sequence analysis was carried out as
described above.

15 In this way the nucleotide sequence over the full length cDNA of 2361 and 2376
base pairs, respectively, of the compound of the formula II was obtained. With the
described procedure of PCR cloning it is possible to find and isolate also variant forms of
the compounds of the formulas I or II, as for example their alleles or their splice variants.
The described method of screening of a cDNA library allows also the detection and the
20 isolation of compounds which hybridize under stringent conditions with the coding
sequences of the compounds of the formulas I or II.

Cloning of the cDNA of the compound of the formula I (neurotrypsin of the human)

The cloning of the cDNA of the compound of the formula I was carried out basing
5 on the nucleotide sequence of the compound of the formula II. As a first step, a fragment
of the compound of the formula I was amplified using the polymerase chain reaction
(PCR). As a matrix we used the DNA obtained from a cDNA library from the brain of a
human fetus (17th - 18th week of pregnancy) which is commercially available (Oligo(dT)-
and random-primed, human fetal brain cDNA library in the Lambda ZAP II vector, cat.
10 no. 936206, Stratagene). The synthetic PCR primers contained restriction sites for
HindIII and *XhoI* at the 5' end in order to facilitate the subsequent cloning.

In the reading direction (sense primers):

5'-GGGAAGCTTGGICA(A/G)TGGGGIACI(A/G)TITG(C/T)GA(C/T)-3'

15 In the counter direction (antisense primers):

5'-GGGCTCGAGCCCCAICCTGTTATGTAAIAGTTG-3'

The PCR was carried out under standard conditions using the DNA polymerase
20 Amplitaq (Perkin Elmer) according to the recommendations of the producer. The
resulting fragment of 1116 base pairs was inserted into the Bluescript vector (Bluescript
SK(-), Stratagene). A 600 base pairs long *HindIII/StuI* fragment, corresponding to the 5'
half the 1116 base pairs long PCR fragment, was used for the screening of a Lambda
cDNA library from human fetal brain (Human Fetal Brain 5'-STRETCH PLUS cDNA
25 library; Lambda gt10; cat. no. HL 3003 a; Clontech). 2x10⁶ Lambda plaques were
screened under high stringent conditions (Sambrook et al., Molecular Cloning: A
laboratory manual, Cold Spring Harbor Laboratory Press, 1989) by means of a
radioactively labeled PCR fragment, and 23 positive clones were found and isolated.

30 From the positive Lambda gt10 clones the corresponding cDNA fragments were
excised with *EcoRI* and inserted into a Bluescript vector (Bluescript KS(+), Stratagene).
The sequencing was carried out by means of the dideoxy chain termination method
(Sanger et al., Proc. Natl. Acad. Sci. USA 77, pages 2163-2167, 1977), using a
commercial sequencing kit (SequiTherm long-read cycle sequencing kit-LC; Epicentre
35 Technologies, Madison, WI) and Bluescript-specific primers.

In an alternative sequencing strategy, the cDNA fragments of the positive Lambda gt10 clones were PCR amplified using Lambda-specific primers. The sequencing was carried out as described above.

5

The computerized analysis of the sequences was performed by means of the program package GCG (version 8.1, Unix; Silicon Graphics Inc.).

In this way the nucleotide sequence over the full length of the cDNA of 3350 base
10 pairs was obtained. With the described procedure for PCR cloning it is possible to find
and to isolate also variant forms of the compounds of the formulas I or II, as for example
their alleles or their splice variants. The described procedure for the screening of a
cDNA library allows also the discovery and the isolation of compounds which hybridize
under stringent conditions with the coding sequences of the compounds of the formulas I
15 or II.

Visualization of the coded sequences of the compounds of the formulas I or II by means of antibodies

5 The more than 60 amino acids long proline-rich, basic segment at the amino terminus of the coded sequence of the compounds of the formulas I or II is well suited for the production of antibodies by means of synthesizing peptides and using them for immunization. We have selected two peptide sequences with a length of 19 and 13 amino acids from the proline-rich, basic segment at the amino terminus of the coded
10 sequence of the compound of the formula II for the generation of antibodies. The peptides had the following sequences:

Peptide 1: $\text{H}_2\text{N-SRS PLH RPH PSP PRS QX-CONH}_2$

Peptide 2: $\text{H}_2\text{N-LPS SRR PPR TPR F-COOH}$

15 The two peptides were synthesized chemically, coupled to a macromolecular carrier (Keyhole Limpet Hemacyanin), and injected into 2 rabbits for immunization. The resulting antisera exhibit a high antibody titer and could successfully be used both for the identification of native neurotrypsin in brain extract of the mouse and for the identification of recombinant neurotrypsin. The employed procedure for the generation of antibodies
20 can also be used for the generation of antibodies against the coded sequence of the compound of the formula I.

 The resulting antibodies against the partial sequences of the coded sequences of the compounds of the formulas I or II can be used for the detection and the isolation of
25 variant forms of the compounds of the formulas I or II, as for example alleles or splice variants. Such antibodies can also be used for the detection and isolation of gene technologically generated variants of the compounds of the formulas I or II.

Purification of the coded sequences of the compounds of the formulas I or II

Besides conventional chromatographic methods, as for example ion exchange chromatography, the purification of the coded sequences of the compounds of the formulas I or II can also be achieved using two affinity chromatographic purification procedures. One affinity chromatographic purification procedure is based on the availability of antibodies. By coupling the antibodies on a chromatographic matrix, a purification procedure results, in which a very high degree of purity of the corresponding compound can be achieved in one step.

Another important feature that can be used for the purification of the coded sequences of the compounds of the formulas I or II is the proline-rich, basic segment at the amino terminus. It may be expected that, due to the high density of positive charges, this segment mediates the binding of the coded sequences of the compounds of the formulas I or II to heparin and heparin-like affinity matrices. This principle allows also the isolation, or at least the enrichment, of variant forms of the coded sequences of the compounds of the formulas I or II, as for example their alleles or splice variants. Likewise the heparin affinity chromatography can be used for the isolation, or at least the enrichment, of species-homologous proteins of the compounds of the formulas I or II.

Industrial Applicability

5 The coding sequences of the formulas I and II can be used for the production of the coded proteins or parts thereof of the formulas I and II. The production of the coded proteins can be achieved in procaryotic or eucaryotic expression systems.

10 The gene expression pattern of the inventive compounds in the brain is extremely interesting, because these molecules are expressed in the adult nervous system predominantly in neurons of those regions that are thought to play an important role in learning and memory functions. Together with the recently found evidence for a role of extracellular proteases in neural plasticity, the expression pattern allows the assumption that the proteolytic activity of neurotrypsin has a role in structural reorganizations in connection with learning and memory operations, for example operations which are involved in the processing and storage of learned behaviors, learned emotions, or
15 memory contents. The inventive compounds may, thus, represent a target for pharmaceutical intervention in malfunctions of the brain.

20 The gene expression pattern of the inventive compounds in the cerebral cortex (especially layers V and VI) is extremely interesting, because a reduction of the cellular differentiation in the cerebral cortex has been found to be associated with schizophrenia. The inventive compounds may, thus, be a target for pharmaceutical intervention in schizophrenia and related psychiatric diseases.

25 The coding sequences of the inventive compounds have been found to be increased in the neurons located adjacent to the damaged tissue of a focal ischemic stroke, indicating that the inventive compounds play a role in the tissue reaction in the injured cerebral tissue. The inventive compounds may, thus, represent a target for pharmaceutical intervention after ischemic stroke and other forms of neural tissue damage.

30 Tissue-type plasminogen activator, a serine protease related to the inventive compounds, has recently been found to be involved in excitotoxicity-mediated neuronal cell death. A similar function is conceivable for the inventive compounds and, thus, the inventive compounds represent a possible target for a pharmacological intervention in diseases in which cell death occurs.

The gene expression pattern of the inventive compounds in the spinal cord and in the sensory ganglia is interesting, because these molecules are expressed in the adult nervous system in neurons of those brain regions that are thought to play a role in the processing of pain, as well as in the pathogenesis of pathological pain. The inventive compounds may, thus, be a target for pharmaceutical intervention in pathological pain.

10 In the following part statements concerning the compounds of the formulas I or II are given:

(1) INFORMATION ABOUT THE COMPOUND OF THE FORMULA I
(Neurotrypsin of the human)

(i) SEQUENCE CHARACTERISTICS:

5

- (A) LENGTH: 3350 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single strand
(D) TOPOLOGY: linear

10

(ii) MOLECULE TYPE: cDNA to mRNA

(vi) ORIGINAL SOURCE:

15

- (A) ORGANISM: Homo sapiens
(D) DEVELOPMENT STAGE: fetal
(F) TISSUE TYPE: brain

(vii) IMMEDIATE SOURCE:

20

- (A) LIBRARY: human fetal brain 5'-stretch plus cDNA library in the lambda
gt10 vector; catalog No. HL 3003a; Clontech, Palo Alto, CA, USA.
- (B) CLONE: cDNA Clone No.:
3-1, 3-2, 3-6, 3-7, 3-8, 3-10, 3-11, 3-12

25

(ix) FEATURE:

30

- (A) NAME/KEY: Signal peptide
(B) LOCATION: 44 .. 103

(ix) FEATURE:

(A) NAME/KEY: mature peptide

(B) LOCATION: 104 .. 2668

5

(ix) FEATURE:

(A) NAME/KEY: coding sequence

10 (B) LOCATION: 44 .. 2668

(ix) FEATURE:

15 (A) NAME/KEY: Proline-rich, basic segment

(B) LOCATION: 104 .. 319

(ix) FEATURE:

20

(A) NAME/KEY: Kringle domain

(B) LOCATION: 320 .. 538

25 (ix) FEATURE:

(A) NAME/KEY: SRCR domain 1

(B) LOCATION: 551 .. 856

30

(ix) FEATURE:

(A) NAME/KEY: SRCR domain 2

(B) LOCATION: 881 .. 1186

35

(ix) FEATURE:

(A) NAME/KEY: SRCR domain 3

5 (B) LOCATION: 1202 .. 1504

(ix) FEATURE:

10 (A) NAME/KEY: SRCR domain 4

(B) LOCATION: 1541 .. 1846

(ix) FEATURE:

15

(A) NAME/KEY: proteolytic domain

(B) LOCATION: 1898 .. 2668

20 (ix) FEATURE:

(A) NAME/KEY: histidine of the catalytic triade

(B) LOCATION: 2069 - 2071

25

(ix) FEATURE:

(A) NAME/KEY: aspartic acid of the catalytic triade

(B) LOCATION: 2219 - 2221

30

(ix) FEATURE:

(A) NAME/KEY: serine of the catalytic triade

35 (B) LOCATION: 2516 .. 2518

(ix) FEATURE:

- 5 (A) NAME/KEY: polyA signal
(B) LOCATION: 2873 .. 2878

(ix) FEATURE

10

- (A) NAME/KEY: polyA signal
(B) LOCATION: 3034 .. 3039

- 15 (ix) FEATURE:

- (A) NAME/KEY: polyA signal
(B) LOCATION: 3215 .. 3220

20

(ix) FEATURE:

- (A) NAME/KEY: 3'UTR
(B) LOCATION: 2669 .. 3350

25

(ix) FEATURE

- (A) NAME/KEY: 5'UTR
30 (B) LOCATION: 1 .. 43

Compound of the formula I (neurotrypsin of the human)

CGGAAGCTGG	GGAGCATGGA	CCAGACCCCG	CAGCGCTGGC	ACC	ATG	ACG	CTC	GCC	55
					Met	Thr	Leu	Ala	
					-20				
CGC	TTC	GTG	CTA	GCC	CTG	ATG	TTA	GGG	103
Arg	Phe	Val	Leu	Ala	Leu	Met	Leu	Gly	
-15					-10			-5	
TTT	GAT	TCT	GTC	CTC	AAT	GAT	TCC	CTC	151
Phe	Asp	Ser	Val	Leu	Asn	Asp	Ser	Leu	
1				5				10	
								15	
CCC	CCT	GCG	GGT	CCG	CAC	TAC	CCC	TAT	199
Pro	Pro	Ala	Gly	Pro	His	Tyr	Pro	Tyr	
			20				25		
								30	
CCC	CCG	ACG	ACG	CGT	CCG	CCG	CCG	CCT	247
Pro	Pro	Thr	Thr	Arg	Pro	Pro	Pro	Leu	
			35				40		
								45	
CCG	CGG	GCG	CTC	CCT	GCC	CAG	CGC	CCG	295
Pro	Arg	Ala	Leu	Pro	Ala	Gln	Arg	Pro	
	50					55		60	
ACG	CCC	CGG	CCG	CAC	CCC	TGG	GGC	TGC	343
Thr	Pro	Arg	Pro	His	Pro	Trp	Gly	Cys	
65					70			75	
AGC	GTG	ACG	GAC	TTC	GGC	GCC	CCG	TGT	391
Ser	Val	Thr	Asp	Phe	Gly	Ala	Pro	Cys	
				85				90	
CCC	TTC	CTG	GAG	CGG	TGG	CCC	CCA	GCG	439
Pro	Phe	Leu	Glu	Arg	Ser	Pro	Pro	Ala	
			100					105	
								110	
CAG	CGC	CAC	AAC	TTT	TGT	CGG	AGC	CCC	487
Gln	Arg	His	Asn	Phe	Cys	Arg	Ser	Pro	
			115					120	
TGT	TTC	TAC	GGA	GAC	GCC	CGT	GGC	AAG	535
Cys	Phe	Tyr	Gly	Asp	Ala	Arg	Gly	Lys	
130						135		140	
TGC	AGA	CAC	GGA	TCA	GTA	CGA	CTT	CGT	583
Cys	Arg	His	Gly	Ser	Val	Arg	Leu	Arg	
145						150		155	
GGC	ACA	GTG	GAA	GTA	TAT	GCA	AGT	GGA	631
Gly	Thr	Val	Glu	Val	Tyr	Ala	Ser	Gly	
						165		170	
AGC	CAC	TGG	GAT	GAT	TCT	GAT	GCA	TCA	679
Ser	His	Trp	Asp	Asp	Ser	Asp	Ala	Ser	
			180					185	

CTG GGA GGA AAA GGA ATA GCA AAA CAA ACC CCG TTT TCT GGA CTG GGC Leu Gly Gly Lys Gly Ile Ala Lys Gln Thr Pro Phe Ser Gly Leu Gly	727
195 200 205	
CTT ATT CCC ATT TAT TGG AGC AAT GTC CGT TGC CGA GGA GAT GAA GAA Leu Ile Pro Ile Tyr Trp Ser Asn Val Arg Cys Arg Gly Asp Glu Glu	775
210 215 220	
AAT ATA CTG CTT TGT GAA AAA GAC ATC TGG CAG GGT GGG GTG TGT CCT Asn Ile Leu Leu Cys Glu Lys Asp Ile Trp Gln Gly Gly Val Cys Pro	823
225 230 235	240
CAG AAG ATG GCA GCT GCT GTC ACG TGT AGC TTT TCC CAT GGC CCA ACG Gln Lys Met Ala Ala Val Thr Cys Ser Phe Ser His Gly Pro Thr	871
245 250 255	
TTC CCC ATC ATT CGC CTT GCT GGA GGC AGC AGT GTG CAT GAA GGC CGG Phe Pro Ile Ile Arg Leu Ala Gly Gly Ser Ser Val His Glu Gly Arg	919
260 265	
GTG GAG CTC TAC CAT GCT GGC CAG TGG GGA ACC GTT TGT GAT GAC CAA Val Glu Leu Tyr His Ala Gly Gln Trp Gly Thr Val Cys Asp Asp Gln	967
275 280 285	
TGG GAT GAT GCC GAT GCA GAA GTG ATC TGC AGG CAG CTG GGC CTC AGT Trp Asp Asp Ala Asp Ala Glu Val Ile Cys Arg Gln Leu Gly Leu Ser	1015
290 295 300	
GGC ATT GCC AAA GCA TGG CAT CAG GCA TAT TTT GGG GAA GGG TCT GGC Gly Ile Ala Lys Ala Trp His Gln Ala Tyr Phe Gly Glu Gly Ser Gly	1063
305 310 315	320
CCA GTT ATG TTG GAT GAA GTA CGC TGC ACT GGG AAT GAG CTT TCA ATT Pro Val Met Leu Asp Glu Val Arg Cys Thr Gly Asn Glu Leu Ser Ile	1111
325 330 335	
GAG CAG TGT CCA AAG AGC TCC TGG GGA GAG CAT AAC TGT GGC CAT AAA Glu Gln Cys Pro Lys Ser Ser Trp Gly Glu His Asn Cys Gly His Lys	1159
340 345 350	
GAA GAT GCT GGA GTG TCC TGT ACC CCT CTA ACA GAT GGG GTC ATC AGA Glu Asp Ala Gly Val Ser Cys Thr Pro Leu Thr Asp Gly Val Ile Arg	1207
355 360 365	
CTT GCA GGT GGG AAA GGC AGC CAT GAG GGT CGC TTG GAG GTA TAT TAC Leu Ala Gly Gly Lys Gly Ser His Glu Gly Arg Leu Glu Val Tyr Tyr	1255
370 375 380	
AGA GGC CAG TGG GGA ACT GTC TGT GAT GAT GGC TGG ACT GAG CTG AAT Arg Gly Gln Trp Gly Thr Val Cys Asp Asp Gly Trp Thr Glu Leu Asn	1303
385 390 395	400
ACA TAC GTG GTT TGT CGA CAG TTG GGA TTT AAA TAT GGT AAA CAA GCA Thr Tyr Val Val Cys Arg Gln Leu Gly Phe Lys Tyr Gly Lys Gln Ala	1351
405 410 415	
TCT GCC AAC CAT TTT GAA GAA AGC ACA GGG CCC ATA TGG TTG GAT GAC Ser Ala Asn His Phe Glu Glu Ser Thr Gly Pro Ile Trp Leu Asp Asp	1399
420 425 430	

GTC Val	AGC Ser	TGC Cys	TCA Ser	GGA Gly	AAG Lys	GAA Glu	ACC Thr	AGA Arg	TTT Phe	CTT Leu	CAG Gln	TGT Cys	TCC Ser	AGG Arg	CGA Arg	1447
	435						440					445				
CAG Gln	TGG Trp	GGA Gly	AGG Arg	CAT His	GAC Asp	TGC Cys	AGC Ser	CAC His	CGC Arg	GAA Glu	GAT Asp	GTT Val	AGC Ser	ATT Ile	GCC Ala	1495
	450					455					460					
TGC Cys	TAC Tyr	CCT Pro	GGC Gly	GGC Gly	GAG Glu	GGA Gly	CAC His	AGG Arg	CTC Leu	TCT Ser	CTG Leu	GGT Gly	TTT Phe	CCT Pro	GTC Val	1543
	465				470					475					480	
AGA Arg	CTG Leu	ATG Met	GAT Asp	GGA Gly	GAA Glu	AAT Asn	AAG Lys	AAA Lys	GAA Glu	CGA Gly	GTG Arg	GAG Val	GTT Glu	TTT Val	Phe	1591
				485					490					495		
ATC Ile	AAT Asn	GGC Gly	CAG Gln	TGG Trp	GGA Gly	ACA Thr	ATC Ile	TGT Cys	GAT Asp	GAT Asp	GGA Gly	TGG Trp	ACT Thr	GAT Asp	AAG Lys	1639
				500					505					510		
GAT Asp	GCA Ala	GCT Val	GTG Ile	ATC Ile	TGT Cys	CGT Arg	CAG Gln	CTT Leu	GGC Gly	TAC Tyr	AAG Lys	GGT Gly	CCT Pro	GCC Ala	AGA Arg	1687
				515					520					525		
GCA Ala	AGA Thr	ACC Met	ATG Ala	GCT Tyr	TAC Thr	TTT Phe	GGA Gly	GAA Glu	GGA Gly	AAA Lys	GGA Gly	CCC Pro	ATC Ile	CAT His	GTG Val	1735
				530			535					540				
GAT Asp	AAT Asn	GTG Val	AAG Lys	TGC Cys	ACA Thr	GGA Gly	AAT Asn	GAG Glu	AGG Arg	TCC Ser	TTG Leu	GCT Ala	GAC Asp	TGT Cys	ATC Ile	1783
				545		550				555					560	
AAG Lys	CAA Gln	GAT Asp	ATT Ile	GGA Gly	AGA Arg	CAC His	AAC Asn	TGC Cys	CGC Arg	CAC His	AGT Ser	GAA Glu	GAT Asp	GCA Ala	GGA Gly	1831
				565					570					575		
GTT Val	ATT Ile	TGT Cys	GAT Asp	TAT Tyr	TTT Phe	GGC Gly	AAG Lys	AAG Lys	GCC Ala	TCA Ser	GGT Gly	AAC Asn	AGT Ser	AAT Asn	AAA Lys	1879
				580					585					590		
GAG Glu	TCC Ser	CTC Leu	TCA Ser	TCT Ser	GTT Val	TGT Cys	GGC Gly	TTG Leu	AGA Arg	TTA Leu	CTG Leu	CAC Leu	CGT His	CGG Arg	CAG Gln	1927
				595			600						605			
AAG Lys	CGG Arg	ATC Ile	ATT Ile	GGT Gly	GGG Gly	AAA Lys	AAT Asn	TCT Ser	TTA Leu	AGG Arg	GGT Gly	GGT Gly	TGG Trp	CCT Pro	TGG Trp	1975
				610			615					620				
CAG Gln	GTT Val	TCC Ser	CTC Leu	CGG Arg	CTG Leu	AAG Lys	TCA Ser	TCC Ser	CAT His	GGA Gly	GAT Asp	GGC Gly	AGG Arg	CTC Leu	CTC Leu	2023
				625		630				635					640	
TGC Cys	GGG Gly	GCT Ala	ACG Thr	CTC Leu	CTG Leu	AGT Ser	AGC Ser	TGC Cys	TGG Trp	CTC Val	ACA Leu	GCA Thr	GCA Ala	CAC His		2071
				645					650					655		
TGT Cys	TTC Phe	AAG Lys	AGG Arg	TAT Tyr	GGC Gly	AAC Asn	AGC Ser	ACT Thr	AGG Arg	AGC Ser	TAT Tyr	GCT Ala	GTT Val	AGG Arg	GTT Val	2119
				660					665					670		

GGA GAT TAT CAT ACT CTG GTA CCA GAG GAG TTT GAG GAA GAA ATT GGA Gly Asp Tyr His Thr Leu Val Pro Glu Glu Phe Glu Glu Glu Ile Gly 675 680 685	2167
GTT CAA CAG ATT GTG ATT CAT CGG GAG TAT CGA CCC GAC CGC AGT GAT Val Gln Gln Ile Val Ile His Arg Glu Tyr Arg Pro Asp Arg Ser Asp 690 695 700	2215
TAT GAC ATA GCC CTG GTT AGA TTA CAA GGA CCA GAA GAG CAA TGT GCC Tyr Asp Ile Ala Leu Val Arg Leu Gln Gly Pro Glu Glu Gln Cys Ala 705 710 715 720	2263
AGA TTC AGC AGC CAT GTT TTG CCA GCC TGT TTA CCA CTC TGG AGA GAG Arg Phe Ser Ser His Val Leu Pro Ala Cys Leu Pro Leu Trp Arg Glu 725 730 735	2311
AGG CCA CAG AAA ACA GCA TCC AAC TGT TAC ATA ACA GGA TGG GGT GAC Arg Pro Gln Lys Thr Ala Ser Asn Cys Tyr Ile Thr Gly Trp Gly Asp 740 745 750	2359
ACA GGA CGA GCC TAT TCA AGA ACA CTA CAA CAA GCA GCC ATT CCC TTA Thr Gly Arg Ala Tyr Ser Arg Thr Leu Gln Gln Ala Ala Ile Pro Leu 755 760 765	2407
CTT CCT AAA AGG TTT TGT GAA GAA CGT TAT AAG GGT CGG TTT ACA GGG Leu Pro Lys Arg Phe Cys Glu Glu Arg Tyr Lys Gly Arg Phe Thr Gly 770 775 780	2455
AGA ATG CTT TGT GCT GGA AAC CTC CAT GAA CAC AAA CGC GTG GAC AGC Arg Met Leu Cys Ala Gly Asn Leu His Glu His Lys Arg Val Asp Ser 785 790 795 800	2503
TGC CAG GGA GAC AGC GGA GGA CCA CTC ATG TGT GAA CGG CCC GGA GAG Cys Gln Gly Asp Ser Gly Gly Pro Leu Met Cys Glu Arg Pro Gly Glu 805 810 815	2551
AGC TGG GTG GTG TAT GGG GTG ACC TCC TGG GGG TAT GGC TGT GGA GTC Ser Trp Val Val Tyr Gly Val Thr Ser Trp Gly Tyr Gly Cys Gly Val 820 825 830	2599
AAG GAT TCT CCT GGT GTT TAT ACC AAA GTC TCA GCC TTT GTA CCT TGG Lys Asp Ser Pro Gly Val Tyr Thr Lys Val Ser Ala Phe Val Pro Trp 835 840 845	2647
ATA AAA AGT GTC ACC AAA CTG TAA TTCTTCATGG AAACCTCAAA GCAGCATT Ile Lys Ser Val Thr Lys Leu * 850 855	2700
AAACAAATGG AAAACTTTGA ACCCCCACTA TTAGCACTCA GCAGAGATGA CAACAAATGG	2760
CAAGATCTGT TTTTGCTTTG TGGTGTGGTA AAAAATGTG TACCCCTGCG TGCTTTTGAG	2820
AAATTTGTGA ACATTTTCAG AGGCCTCAGT GTAGTGAAG TGATAATCCT TAAATGAACA	2880
TTTCTACCC TAATTTCACT GGAGTGACTT ATTCTAAGCC TCATCTATCC CCTACCTATT	2940

TCTCAAAATC ATTCTATGCT GATTTTACAA AAGATCATTT TTACATTGA ACTGAGAACC 3000
CCTTTTAATT GAATCAGTGG TGTCTGAAAT CATATTAAAT ACCCACATTT GACATAAATG 3060
CGGTACCCTT TACTACACTC ATGAGTGGCA TATTTATGCT TAGGTCTTTT CAAAAGACTT 3120
GACAAGAAAT CTTCATATTC TCTGTAGCCT TTGTCAAGTG AGGAAATCAG TGGTTAAAGA 3180
ATTCCAATAT AAACCTTTAG GCCTGAATAG GAGTAGTAAA GCCTCAAGGA CATCTGCCTG 3240
TCACAATATA TTCTCAAAGT GATCTGATAT TTGGAACAA GTATCCTTGT TGAGTACCAA 3300
GTGCTACAGA AACCATAAGA TAAAAATACT TTCTACCTAC AGCGTGCCCG 3350

(1) INFORMATION ABOUT THE COMPOUND OF THE FORMULA II (Neurotrypsin of the mouse)

(i) SEQUENCE CHARACTERISTICS:

5

- (A) LENGTH: 2376 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single strand
- (D) TOPOLOGY: linear

10

(ii) MOLECULE TYPE: cDNA to mRNA

(vi) ORIGINAL SOURCE:

15

- (A) ORGANISM: Mus musculus
- (D) DEVELOPMENT STAGE: postnatal day 10
- (F) TISSUE TYPE: brain
- (G) CELL TYPE: neurons

20

(vii) IMMEDIATE SOURCE:

- (A) LIBRARY: mouse brain cDNA library in the lambda Uni-ZAP-XR vector, oligo (dT)-primed, from Balb c mice, postnatal day 20, Cat. No.. 937 319; Stratagene, La Jolla, CA, USA

25

- (B) CLONE: cDNA clone no. 16

(vii) IMMEDIATE SOURCE:

30

- (A) LIBRARY: mouse brain cDNA library in the Lambda gt10 vector, oligo(dT)- and random-primed, embryonic day 15, Cat. No. ML 3002a; Clontech, Palo Alto, CA, USA

35

- (B) CLONE: cDNA clone #25

(ix) FEATURE:

(A) NAME/KEY: signal peptide

5 (B) LOCATION: 24 .. 86

(ix) FEATURE:

10 (A) NAME/KEY: mature peptide

(B) LOCATION: 87 .. 2306

(ix) FEATURE:

15

(A) NAME/KEY: coding sequence

(B) LOCATION: 24 .. 2306

(ix) FEATURE:

20

(A) NAME/KEY: proline-rich, basic segment

(B) LOCATION: 90 .. 275

25

(ix) FEATURE:

(A) NAME/KEY: Kringle domain

(B) LOCATION: 276 .. 494

30

(ix) FEATURE:

(A) NAME/KEY: SRCR domain 1

35 (B) LOCATION: 519 .. 824

(ix) FEATURE:

- 5 (A) NAME/KEY: SRCR domain 2
(B) LOCATION: 840 .. 1142

(ix) FEATURE:

10

- (A) NAME/KEY: SRCR domain 3
(B) LOCATION: 1179 .. 1484

15 (ix) FEATURE:

- (A) NAME/KEY: proteolytic domain
(B) LOCATION: 1536 .. 2306

20

(ix) FEATURE:

- (A) NAME/KEY: histidine of the catalytic triade
(B) LOCATION: 1707 .. 1709

25

(ix) FEATURE:

- (A) NAME/KEY: aspartic acid of the catalytic triade
30 (B) LOCATION: 1857 .. 1859

(ix) FEATURE:

- 35 (A) NAME/KEY: serine of the catalytic triade

(B) LOCATION: 2154 .. 2156

(ix) FEATURE:

5 (A) NAME/KEY: polyA signal

(B) LOCATION: 2324 .. 2329 and 2331 .. 2336

(ix) FEATURE:

10 (A) NAME/KEY: polyA segment

(B) LOCATION: 2357 .. 2376

(ix) FEATURE:

15

(A) NAME/KEY: 3'UTR

(B) LOCATION: 2307 .. 2341 or 2307 .. 2356

20

(ix) FEATURE:

(A) NAME/KEY: 5'UTR

(B) LOCATION: 1 .. 23

Compound of the formula II (neurotrypsin of the mouse)

GGACCACACT	CGGCGCCGCA	GCC	ATG	GCG	CTC	GCC	CGC	TGC	GTG	CTG	GCT	GTG		53		
			Met	Ala	Leu	Ala	Arg	Cys	Val	Leu	Ala	Val				
			-20						-15							
ATT	TTA	GGG	GCA	CTG	TCT	GTA	GTG	GCC	CGC	GCT	GAT	CCG	GTC	TCG	CGC	101
Ile	Leu	Gly	Ala	Leu	Ser	Val	Val	Ala	Arg	Ala	Asp	Pro	Val	Ser	Arg	5
	-10					-5					1					
TCT	CCC	CTT	CAC	CGC	CCG	CAT	CCG	TCC	CCA	CCG	CGT	TCC	CAA	CAC	GCG	149
Ser	Pro	Leu	His	Arg	Pro	His	Pro	Ser	Pro	Pro	Arg	Ser	Gln	His	Ala	
				10					15					20		
CAC	TAC	CTT	CCC	AGC	TCG	CGG	CGG	CCA	CCC	AGG	ACC	CCG	CGC	TTC	CCG	197
His	Tyr	Leu	Pro	Ser	Ser	Arg	Arg	Pro	Pro	Arg	Thr	Pro	Arg	Phe	Pro	
			25					30					35			
CTC	CCG	CTG	CGG	ATC	CCC	GCT	GCC	CAG	CGC	CCG	CAG	GTC	CTC	AGC	ACC	245
Leu	Pro	Leu	Arg	Ile	Pro	Ala	Ala	Gln	Arg	Pro	Gln	Val	Leu	Ser	Thr	
		40				45						50				
GGG	CAC	ACG	CCC	CCG	ACG	ATT	CCA	CGC	CGC	TGC	GGG	GCA	GGA	GAG	TCG	293
Gly	His	Thr	Pro	Pro	Thr	Ile	Pro	Arg	Arg	Cys	Gly	Ala	Gly	Glu	Ser	
	55					60					65					
TGG	GGC	AAT	GCC	ACC	AAC	CTC	GGC	GTC	CCG	TGT	CTA	CAC	TGG	GAC	GAG	341
Trp	Gly	Asn	Ala	Thr	Asn	Leu	Gly	Val	Pro	Cys	Leu	His	Trp	Asp	Glu	85
	70				75					80						
GTG	CCG	CCC	TTC	CTG	GAG	CGG	TCG	CCC	CCG	GCC	AGT	TGG	GCT	GAG	CTG	389
Val	Pro	Pro	Phe	Leu	Glu	Arg	Ser	Pro	Pro	Ala	Ser	Trp	Ala	Glu	Leu	
				90					95					100		
CGA	GGG	CAG	CCG	CAC	AAC	TTC	TGC	CGG	AGC	CCG	GAT	GGC	TCG	GGC	AGA	437
Arg	Gly	Gln	Pro	His	Asn	Phe	Cys	Arg	Ser	Pro	Asp	Gly	Ser	Gly	Arg	
			105					110					115			
CCT	TGG	TGC	TTC	TAT	CGG	AAT	GCC	CAG	GGC	AAA	GTA	GAC	TGG	GGC	TAC	485
Pro	Trp	Cys	Phe	Tyr	Arg	Asn	Ala	Gln	Gly	Lys	Val	Asp	Trp	Gly	Tyr	
		120				125						130				
TGC	GAT	TGT	GGT	CAA	GGC	CCG	GCG	TTG	CCC	GTC	ATT	CGC	CTT	GTT	GGT	533
Cys	Asp	Cys	Gly	Gln	Gly	Pro	Ala	Leu	Pro	Val	Ile	Arg	Leu	Val	Gly	
	135					140					145					
GGG	AAC	AGT	GGG	CAT	GAA	GGT	CGA	GTG	GAG	CTG	TAC	CAC	GCT	GGC	CAG	581
Gly	Asn	Ser	Gly	His	Glu	Gly	Arg	Val	Glu	Leu	Tyr	His	Ala	Gly	Gln	
	150				155					160				165		
TGG	GGG	ACC	ATC	TGT	GAC	GAC	CAA	TGG	GAC	AAT	GCA	GAC	GCA	GAC	GTC	629
Trp	Gly	Thr	Ile	Cys	Asp	Asp	Gln	Trp	Asp	Asn	Ala	Asp	Ala	Asp	Val	
				170					175					180		
ATC	TGT	AGG	CAG	CTG	GGG	CTC	AGT	GGC	ATT	GCC	AAA	GCA	TGG	CAT	CAG	677
Ile	Cys	Arg	Gln	Leu	Gly	Leu	Ser	Gly	Ile	Ala	Lys	Ala	Trp	His	Gln	
			185					190					195			

GCA CAT TTT GGG GAA GGA TCT GGC CCA ATA TTG TTG GAT GAA GTA CGC	725
Ala His Phe Gly Glu Gly Ser Gly Pro Ile Leu Leu Asp Glu Val Arg	
200 205 210	
TGC ACC GGA AAC GAG CTG TCA ATT GAG CAA TGT CCA AAG AGT TCC TGG	773
Cys Thr Gly Asn Glu Leu Ser Ile Glu Gln Cys Pro Lys Ser Ser Trp	
215 220 225	
GGC GAA CAT AAC TGT GGC CAT AAA GAA GAT GCT GGA GTG TCT TGT GTT	821
Gly Glu His Asn Cys Gly His Lys Glu Asp Ala Gly Val Ser Cys Val	
230 235 240 245	
CCT CTA ACA GAT GGT GTC ATC AGA CTG GCA GGA GGA AAA AGT ACC CAT	869
Pro Leu Thr Asp Gly Val Ile Arg Leu Ala Gly Gly Lys Ser Thr His	
250 255 260	
GAA GGT CGC CTG GAG GTC TAC TAC AAG GGG CAG TGG GGG ACA GTC TGT	917
Glu Gly Arg Leu Glu Val Tyr Tyr Lys Gly Gln Trp Gly Thr Val Cys	
265 270 275	
GAT GAT GGC TGG ACT GAG ATG AAC ACA TAC GTG GCT TGT CGA CTG CTG	965
Asp Asp Gly Trp Thr Glu Met Asn Thr Tyr Val Ala Cys Arg Leu Leu	
280 285 290	
GGA TTT AAA TAC GGC AAA CAG TCC TCT GTG AAC CAT TTT GAT GGC AGC	1013
Gly Phe Lys Tyr Gly Lys Gln Ser Ser Val Asn His Phe Asp Gly Ser	
295 300 305	
AAC AGG CCC ATA TGG CTG GAT GAC GTC AGC TGC TCA GGA AAA GAA GTC	1061
Asn Arg Pro Ile Trp Leu Asp Asp Val Ser Cys Ser Gly Lys Glu Val	
310 315 320 325	
AGC TTC ATT CAG TGT TCC AGG AGA CAG TGG GGA AGG CAT GAC TGC AGC	1109
Ser Phe Ile Gln Cys Ser Arg Arg Gln Trp Gly Arg His Asp Cys Ser	
330 335 340	
CAT AGA GAA GAT GTG GGC CTC ACC TGC TAT CCT GAC AGC GAT GGA CAT	1157
His Arg Glu Asp Val Gly Leu Thr Cys Tyr Pro Asp Ser Asp Gly His	
345 350 355	
AGG CTT TCT CCA GGT TTT CCC ATC AGA CTA GTG GAT GGA GAG AAT AAG	1205
Arg Leu Ser Pro Gly Phe Pro Ile Arg Leu Val Asp Gly Glu Asn Lys	
360 365 370	
AAG GAA GGA CGA GTG GAG GTT TTT GTC AAT GGC CAA TGG GGA ACA ATC	1253
Lys Glu Gly Arg Val Glu Val Phe Val Asn Gly Gln Trp Gly Thr Ile	
375 380 385	
TGC GAT GAC GGA TGG ACC GAT AAG CAT GCA GCT GTG ATC TGC CGG CAA	1301
Cys Asp Asp Gly Trp Thr Asp Lys His Ala Ala Val Ile Cys Arg Gln	
390 395 400 405	
CTT GGC TAT AAG GGT CCT GCC AGA GCA AGG ACT ATG GCT TAT TTT GGG	1349
Leu Gly Tyr Lys Gly Pro Ala Arg Ala Arg Thr Met Ala Tyr Phe Gly	
410 415 420	
GAA GGA AAA GGC CCC ATC CAC ATG GAT AAT GTG AAG TGC ACA GGA AAT	1397
Glu Gly Lys Gly Pro Ile His Met Asp Asn Val Lys Cys Thr Gly Asn	
425 430 435	

GAG AAG GCC CTG GCT GAC TGT GTC AAA CAA GAC ATT GGA AGG CAC AAC Glu Lys Ala Leu Ala Asp Cys Val Lys Gln Asp Ile Gly Arg His Asn	1445
440 445 450	
TGC CGC CAC AGT GAG GAT GCA GGA GTC ATC TGT GAC TAT TTA GAG AAG Cys Arg His Ser Glu Asp Ala Gly Val Ile Cys Asp Tyr Leu Glu Lys	1493
455 460 465	
AAA GCA TCA AGT AGT GGT AAT AAA GAG ATG CTC TCA TCT GGA TGT GGA Lys Ala Ser Ser Ser Gly Asn Lys Glu Met Leu Ser Ser Gly Cys Gly	1541
470 475 480 485	
CTG AGG TTA CTG CAC CGT CGG CAG AAA CGG ATC ATT GGT GGG AAC AAT Leu Arg Leu Leu His Arg Arg Gln Lys Arg Ile Ile Gly Gly Asn Asn	1589
490 495 500	
TCT TTA AGG GGT GCC TGG CCT TGG CAG GCT TCC CTC AGG CTG AGG TCG Ser Leu Arg Gly Ala Trp Pro Trp Gln Ala Ser Leu Arg Leu Arg Ser	1637
505 510 515	
GCC CAT GGA GAC GGC AGG CTG CTT TGT GGA GCT ACC CTT CTG AGT AGC Ala His Gly Asp Gly Arg Leu Leu Cys Gly Ala Thr Leu Leu Ser Ser	1685
520 525 530	
TGC TGG GTC CTG ACA GCT GCA CAC TGC TTC AAA AGG TAC GGA AAC AAC Cys Trp Val Leu Thr Ala Ala His Cys Phe Lys Arg Tyr Gly Asn Asn	1733
535 540 545	
TCG AGG AGC TAT GCA GTT CGA GTT GGG GAT TAT CAT ACT CTG GTC CCA Ser Arg Ser Tyr Ala Val Arg Val Gly Asp Tyr His Thr Leu Val Pro	1781
550 555 560 565	
GAG GAG TTT GAA CAA GAA ATA GGG GTT CAA CAG ATT GTG ATT CAC AGG Glu Glu Phe Glu Gln Glu Ile Gly Val Gln Gln Ile Val Ile His Arg	1829
570 575 580	
AAC TAC AGG CCA GAC AGA AGC GAC TAT GAC ATT GCC CTG GTT AGA TTG Asn Tyr Arg Pro Asp Arg Ser Asp Tyr Asp Ile Ala Leu Val Arg Leu	1877
585 590 595	
CAA GGA CCA GGG GAG CAA TGT GCC AGA CTA AGC ACC CAC GTT TTG CCA Gln Gly Pro Gly Glu Gln Cys Ala Arg Leu Ser Thr His Val Leu Pro	1925
600 605 610	
GCC TGT TTA CCT CTA TGG AGA GAG AGG CCA CAG AAA ACA GCC TCC AAC Ala Cys Leu Pro Leu Trp Arg Glu Arg Pro Gln Lys Thr Ala Ser Asn	1973
615 620 625	
TGT CAC ATA ACA GGA TGG GGA GAC ACA GGT CGT GCC TAC TCA AGA ACT Cys His Ile Thr Gly Trp Gly Asp Thr Gly Arg Ala Tyr Ser Arg Thr	2021
630 635 640 645	
CTA CAA CAA GCT GCT GTG CCT CTG TTA CCC AAG AGG TTT TGT AAA GAG Leu Gln Gln Ala Ala Val Pro Leu Leu Pro Lys Arg Phe Cys Lys Glu	2069
650 655 660	
AGG TAC AAG GGA CTA TTT ACT GGG AGA ATG CTC TGT GCT GGG AAC CTC Arg Tyr Lys Gly Leu Phe Thr Gly Arg Met Leu Cys Ala Gly Asn Leu	2117
665 670 675	

CAA GAA GAC AAC CGT GTG GAC AGC TGC CAG GGA GAC AGT GGA GGA CCA	2165
Gln Glu Asp Asn Arg Val Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro	
680 685 690	
CTC ATG TGT GAA AAG CCT GAT GAG TCC TGG GTT GTG TAT GGG GTG ACT	2213
Leu Met Cys Glu Lys Pro Asp Glu Ser Trp Val Val Tyr Gly Val Thr	
695 700 705	
TCC TGG GGG TAT GGA TGT GGA GTC AAA GAC ACT CCT GGA GTT TAT ACC	2261
Ser Trp Gly Tyr Gly Cys Gly Val Lys Asp Thr Pro Gly Val Tyr Thr	
710 715 720 725	
AGA GTC CCC GCT TTT GTA CCT TGG ATA AAA AGT GTC ACC AGT CTG	2306
Arg Val Pro Ala Phe Val Pro Trp Ile Lys Ser Val Thr Ser Leu	
730 735 740	
TAACTTATCG AAGCTCAAG AAATAGTAAA ACAGTAACTA TTCAGTCTTC AAAAAAAAAA	2366
AAAAAAAAAA	2376

Patent claims

1. Neurotrypsins of the formulas I and II

5 I: neurotrypsin of the human

II: neurotrypsin of the mouse

- 10 2. Neurotrypsin according to claim 1, characterized in that the compounds of the formulas I or II comprise the separate, coding nucleotide sequences and the coded amino acid sequences of the compounds of the formulas I or II.

- 15 3. Use of the coding nucleotide sequences of the compounds of the formulas I or II for the production of recombinant proteins.

- 20 4. Use of proteins with the coded amino acid sequences of the compounds of the formulas I or II as targets for the development of pharmaceutical drugs, for example for the inhibition or the enhancement of the catalytic activity of the coded proteins of the formulas I or II.

- 25 5. Use of the species-homologous proteins of the compounds of the formulas I or II as targets for the development of pharmaceutical drugs, for example for the enhancement or the inhibition of the catalytic activity of the coded proteins of the formulas I or II.

- 30 6. Use of the proteins with the coded amino acid sequences of the compounds of the formulas I or II for the spatial structure determination, for example the spatial structure determination by means of crystallography or nuclear resonance spectroscopy.

35

7. Use of the coded amino acid sequences of the compounds of the formulas I or II for the prediction of the protein structure by means of computerized protein structure prediction methods.
- 5 8. Use of the spatial structure of the coded amino acid sequences of the compounds of the formulas I or II as targets for the development of pharmaceutical drugs, for example for the inhibition or the enhancement of the catalytic activity of the coded proteins of the compounds of the formulas I or II.
- 10 9. Use of the coding nucleotide sequences of the compounds of the formulas I or II in gene therapeutical applications in humans and in animals, as for example as parts of gene therapy vectors or as for example as parts of artificial chromosomes.
- 15 10. Use of the compounds of the formulas I or II for so-called cell engineering applications for the production of gene technologically mutated cells, which produce the coded sequences.
- 20 11. Use of the coded amino acid sequences of the compounds of the formulas I or II as antigens for the production of antibodies, as for example antibodies that inhibit or promote the protease function or antibodies that can be used for immunohistochemical studies.
- 25 12. Use of the coding nucleotide sequences of the compounds of the formulas I or II for the production of transgenic animals, as for example transgenic mice.
- 30 13. Use of the coding nucleotide sequences of the compounds of the formulas I or II for the inactivation or the mutation of the corresponding gene by means of gene

targeting techniques, as for example the elimination of the gene in the mouse through homologous recombination

- 5 14. Use of the compounds of the formulas I or II for the diagnostics of disorders in the gene corresponding to the compound of the formula I.
- 10 15. Use of the coding nucleotide sequences of the compounds of the formulas I or II as a starting sequence for gene technological modifications aimed at the production of pharmaceutical compositions or gene therapy vectors which exhibit changed properties as compared with the corresponding pharmaceutical compositions or gene therapy vectors containing the coding nucleotide sequence of the compounds of formulas I or II, for example changed proteolytic activity,
- 15 changed proteolytic specificity, or changed pharmacokinetic characteristics.

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY
(Includes Reference to Provisional and PCT International Applications)

Attorney's Docket No.

030708-035

As a below named inventor, I hereby declare that:
My residence, post office address and citizenship are as stated below next to my name;
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

NEUROTROPYPSIN

the specification of which (check only one item below):

☐ is attached hereto.

☐ was filed as United States application

Number _____

on _____

and was amended

on _____ (if applicable).

☒ was filed as PCT international application

Number PCT/IB98/00625

on April 24, 1998

and was amended

on _____ (if applicable).



I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(e) of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

PRIOR FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. §119:

COUNTRY (if PCT, indicate "PCT")	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. §119
Switzerland	CH966/97	26 April 1997	<u>X</u> Yes ___ No
			___ Yes ___ No
			___ Yes ___ No
			___ Yes ___ No
			___ Yes ___ No

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.

(Application Number)

(Filing Date)

(Application Number)

(Filing Date)

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (CONTINUED) (Includes Reference to Provisional and PCT International Applications)		Attorney's Docket No. 030708-035	
FULL NAME OF SOLE OR FIRST INVENTOR <u>Peter SONDEREGGER</u>		SIGNATURE <i>P. Sonderegger</i>	
RESIDENCE Zürich, Switzerland <i>CHX</i>		DATE Nov-25-1999	
POST OFFICE ADDRESS Biochemisches Institut Universität Zürich, Winterthurerstr. 190, CH8057 Zürich, Switzerland		CITIZENSHIP Swiss	
FULL NAME OF SECOND JOINT INVENTOR, IF ANY		SIGNATURE	
RESIDENCE		DATE	
POST OFFICE ADDRESS		CITIZENSHIP	
FULL NAME OF THIRD JOINT INVENTOR, IF ANY		SIGNATURE	
RESIDENCE		DATE	
POST OFFICE ADDRESS		CITIZENSHIP	
FULL NAME OF FOURTH JOINT INVENTOR, IF ANY		SIGNATURE	
RESIDENCE		DATE	
POST OFFICE ADDRESS		CITIZENSHIP	
FULL NAME OF FIFTH JOINT INVENTOR, IF ANY		SIGNATURE	
RESIDENCE		DATE	
POST OFFICE ADDRESS		CITIZENSHIP	
FULL NAME OF SIXTH JOINT INVENTOR, IF ANY		SIGNATURE	
RESIDENCE		DATE	
POST OFFICE ADDRESS		CITIZENSHIP	
FULL NAME OF SEVENTH JOINT INVENTOR, IF ANY		SIGNATURE	
RESIDENCE		DATE	
POST OFFICE ADDRESS		CITIZENSHIP	
FULL NAME OF EIGHTH JOINT INVENTOR, IF ANY		SIGNATURE	
RESIDENCE		DATE	
POST OFFICE ADDRESS		CITIZENSHIP	
FULL NAME OF NINTH JOINT INVENTOR, IF ANY		SIGNATURE	
RESIDENCE		DATE	
POST OFFICE ADDRESS		CITIZENSHIP	